

(FOD Economie - SPF Economie)

De: [REDACTED] <[REDACTED]@challenge-group.com>
Envoyé: jeudi, 2 novembre 2023 09:06
À: Shmb &Explo (FOD Economie - SPF Economie)
Cc: [REDACTED]
Objet: TR: APPROVAL HAZARDOUS / BOOKING REQUEST - 700-7410-6373 JFK TO TLV - GOI/MOD -PREPAID - PAX
Pièces jointes: 20231031191737866.pdf
Catégories: [REDACTED]

Bonjour à tous,

Je vous prie de trouver, en PJ, des documents concernant une demande d'autorisation de transport d'explosifs.

AWB 700-74106373.

Merci de bien vouloir nous accorder cette autorisation.

Bàv,



[REDACTED]
Customer Service Agent

Mobile
Phone [REDACTED]

Email [REDACTED]@challenge-group.com



Challenge Airlines 

4 Oren Street, Building A, High Port
P.O.B 1901 Shoham 6085102 Israel

www.cal-cargo.com

Challenge Group 

Challenge Accepted



Challenge Group 

AIR CARGO SOUTHEAST ASIA
1-3 NOVEMBER 2023

COME & MEET US !

BOOTH E21

I N D I R E C T A I R C A R R I E R C E R T I F I C A T E

INTERGLOBAL FORWARDING SERVICES INC
1A COLONY ROAD
JERSEY CITY, NJ 07305
FMC # 2747
TELEPHONE NUMBER : 2018588560
TSA APPROVAL NUMBER: EA9402060

Airline: C.A.L. CARGO AIR LINES LTD

Air Waybill	: 700-74106373	Our Reference:	02FFAE23111157
Scheduled Flt:	0542	Departure	: 05 NOV 23
Origin	: JFK	Destination	: TLV
Pieces	: 2	Gross Wt	: 1867.4 K

Total Number and name of each unknown shipper represented is 0

Items being offered for transportation less than 16ounces 0

"INTERGLOBAL FORWARDING SERVICES INC
is in compliance with its TSA-approved security program and
all applicable security directives. Our number assigned by
TSA is EA9402060. All cargo tendered in conjunction with
this certification was either 1) accepted from a known
shipper or an unknown shipper in accordance with TSA
requirements specified in the Indirect Air Carrier Standard
Security Program or 2) accepted under transfer from another
aircraft operator, foreign air carrier, or IAC operating
under a TSA-approved or accepted security program. The
individual whose name appears below certifies that he or she
is an employee or authorized representative of
INTERGLOBAL FORWARDING SERVICES INC
and understands that any fraudulent or false statement made
in connection with this certification may subject this
individual and INTERGLOBAL FORWARDING SERVICES INC
to both (1) civil penalties under 49 CFR 1540.103(b) and (2)
fines and/or imprisonment of not more than 5 years under
18 USC 1001."

Signature of IAC Rep. 

Print name of IAC Rep. LINDA PEREIRA

Date 10/31/23

Accepting Airline: C.A.L. CARGO AIR LINES LTD

Airline representative's Signature and ID number: _____

700 JFK 7410 6373

700-74106373

Shipper's Name and Address VISTA OUTDOOR SALES LLC 1 VISTA WAY ANOKA MN 55303 46-4740605		Shipper's Account Number		Not Negotiable CAL CARGO AILINES LTD Air Waybill C/O LUFTHANSA BUILDING 261 JFK INTL AIRPORT JAMAICA NY TEL. NO. : Copies 1, 2 and 3 of this Air Waybill are originals and have the same validity	
Consignee's Name and Address IMI SYSTEMS LTD 64 BIALIK BLVD RAMAT HASHARON 47100 ISRAEL 500100581		Consignee's Account Number		It is agreed that the goods described herein are accepted in apparent good order and condition (except as noted) for carriage SUBJECT TO THE CONDITIONS OF THE CONTRACT ON THE REVERSE HEREOF. ALL GOODS MAY BE CARRIED BY ANY OTHER MEANS INCLUDING ROAD HEREON BY THE SHIPPER, AND SHIPPER AGREES THAT THE SHIPMENT MAY BE CARRIED VIA INTERMEDIATE STOPPING PLACES WHICH THE CARRIER DEEMS APPROPRIATE. THE SHIPPER'S ATTENTION IS DRAWN TO THE NOTICE CONCERNING CARRIER'S LIMITATION OF LIABILITY. Shipper may increase such limitation of liability by declaring a higher value for carriage and paying supplemental charge if required.	
Issuing Carrier's Agent Name and City INTERGLOBAL FORWARDING SERVICES INC 1A COLONY ROAD JERSEY CITY, NJ 07305		Accounting Information FILE# 02FFAE23111157 FLT # 0542 SHP REF 27212667/2255222		DATE 05 NOV 23 BILL IMIISR	
Agent's Code FMC #2747 01-1-9839-0012/		Account No.			
Airport of Departure (Addr. of First Carrier) and Requested Routing J.F.KENNEDY AIRPORT		Reference Number PREPARED BY LINA		Optional Shipping Information	
To	By First Carrier	To	By	To	By
TIV	C.A.L. CARGO AIR LIN				
Airport of Destination BEN GURION AIRPORT		Requested Flight/Date 0542/05		Amount of Insurance XXX	
Handling Information DANGEROUS GOODS AS PER ASSOCIATED SHIPPER'S DECLARATION LOT # 020688 PO# 27212667 SREF: 2255222 OVERPACK USED		Currency USD		Declared Value for Carriage NVD	
These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Ultimate destination ISRAEL		Diversion contrary to U.S. law prohibited		SCI	
No. of Pieces RCP	Gross Weight	Kg Lb	Rate Class	Commodity Item No.	Chargeable Weight
2	1867.4	K			1867.5
ECCNS: 0A505.		Rate		Charge	
10 (48X40X35) In 10 (48X40X58) In		4.80		8964.00	
AES X20231031956307		Total		8964.00	
2	1867.4	Total		8964.00	
Prepaid		Weight Charge		Collect	
8964.00		Valuation Charge		Other Charges	
		Tax		MANUAL HAWB INP(C) 12.00	
Total Other Charges Due Agent				DANGEROUS GOODS(C) 100.00	
Total Other Charges Due Carrier		3510.73		FUEL SURCHARGE (C) 3062.59	
Total Prepaid		12474.73		FAA SECURITY (C) 336.14	
Currency Conversion Rates		CC Charges in Dest. Currency		Shipper certifies that the particulars on the face hereof are correct and that insofar as any part of the consignment contains dangerous goods, such part is properly described by name and is in proper condition for carriage by air according to the applicable Dangerous Goods Regulations.	
For Carriers Use only at Destination		Charges at Destination		Total Collect Charges	
				INTERGLOBAL FORWARDING SERVICES INC As Authorized Agent For Shipper VISTA OUTDOOR SALES LLC Signature of Shipper or his Agent	
				31 OCT 2023 J.F.KENNEDY AIRPORT LINA PEREIRA Executed on (date) at (place) Signature of Issuing Carrier or its Agent	

700-74106373

ORIGINAL (FOR SHIPPER)

Invoice**Vista Outdoor Sales LLC**

1 Vista Way, Anoka, MN 55303

Remit To:

Vista Outdoor Sales LLC
P.O. Box 734147
Chicago, IL 60673-4147
USA

Accounts Receivable: accountsreceivable@vistaoutdoor.com
Customer Service: (800)322-2342
Fax: (763)323-3690
Tax ID: 46-4740605
Duns: 079331239
UEI: ENR9ZAAGMWJS

Shipped From:
1 Vista Way
Anoka, MN 55303
USA

Invoice # INV002255222
Invoice Date: 10/20/2023
Order # SO016299732
Order Date: 1/12/2022
Page: 1 of 2
Customer # 221681
Customer Order # 27212667

Sold To:

IMI SYSTEMS
POB: 1044
4711001
RAMAT HASHARON,47100
Israel

Ship To:

IMI SYSTEMS LTD
YITZHAK PLANT
64 BIALIK BLVD

RAMAT HASHARON,47100
Israel

Tracking Number:	See below	Discount Terms:	Net Terms:	Prepaid
Shipped Via:	ODFL		Net Due Date:	10/30/2023
Customer Reference:				

Description	SKU or Part #	Quantity			Price	Unit Weight	Extended Weight	Extended Amount
		Quantity	Shipped	UOM				
PRIMER NO.35 OEM	321	1,000,000.	1,000,000.	EA		0.00	4100.00	
		00	00					

Quantity : 1,000,000.00 Packing slip No. : PK002314316 Ship date : 10/20/2023

Excise Tax Not Included

Total Weight 4,100.00

Sales subtotal amount
Sales Tax
Total charges
Total

Any shortages should be reported within 20 days of shipment from our facilities.

Remit To:**Invoice****Vista Outdoor Sales LLC**

1 Vista Way, Anoka, MN 55303

Vista Outdoor Sales LLC
P.O. Box 734147
Chicago, IL 60673-4147
USA

Accounts Receivable: accountsreceivable@vistaoutdoor.com

Customer Service: (800)322-2342

Fax: (763)323-3890

Tax ID: 46-4740605

Duns: 079331239

UEI: ENR9ZAAGMWJS

Shipped From:

1 Vista Way
Anoka, MN 55303
USA

Invoice # INV002255222

Invoice Date: 10/20/2023

Order # SO016299732

Order Date: 1/12/2022

Page: 2 of 2

Customer # 221681

Customer Order # 27212667

The country of ultimate destination: ISRAEL

The end user: For Small Arms Ammunition test and evaluation in the United States

Authorization: D1265312

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise be disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

INVOICE PAYABLE IN U.S. DOLLARS ONLY.

COUNTRY OF ORIGIN: USA UNLESS OTHERWISE SPECIFIED.

TITLE AND RISK PASS TO BUYER WHEN DELIVERED TO INITIAL INLAND CARRIER AT OUR DOCK UNLESS OTHERWISE SPECIFIED

INCOTERMS 2020: FCA VISTA OUTDOOR SALES LLC DOCK.

INLAND FREIGHT PREPAID TO FORWARDER'S WAREHOUSE WHERE APPLICABLE.

EXEMPTION FTR 30.37(a) APPLICABLE FOR NON-LICENSABLE ITEMS UNDER \$2500 PER INDIVIDUAL SCHEDULE B NUMBER

ALL SHIPMENTS REQUIRED TO BE PACKED FOR AIR FREIGHT WILL BE CHARGE A 1.5% AIR PACKING FEE.

REMIT-TO INFORMATION

WIRE / ACH PAYMENT ADDRESS:

BANK NAME: JPMORGAN CHASE

Account Name: Vista Outdoor Sales LLC

Account Number: 313511898

Routing Number:

- ACH Transactions: 071000013

- Domestic Wire Transfers: 021000021

- SWIFT Code for International Wire Transfers: CHASUS33

Invoice Declaration

I, the undersigned, hereby declare that unless otherwise indicated, the goods covered by this document fully comply with the rules of origin and the other provisions of the Agreement on the Establishment of a Free Trade Area between the Government of Israel and the Government of the United States of America.

(X) The Exporter (whether the exporter is the producer or not)

() The Producer (is not the exporter)

Tax identification: 46474060500

Name: Amber Bell

Title: International Export Coordinator

E-mail: Amber.Bell@VistaOutdoor.com

Signature: Amber Bell

Tracking Number: 99967435230

Vista Outdoor Sales LLC is a subsidiary of Vista Outdoor Inc. All sales subject to Vista Outdoor General Terms and Conditions of Sale including but not limited to the following: FOB Origin (freight prepaid where applicable); Title and risk of loss transfer to the Buyer upon delivery to the carrier; No goods sold on consignment. No merchandise may be returned without prior authorization and returns may be subject to a restocking fee. Contact Customer Service for return authorization. Sales personnel are not authorized to make adjustments or alter terms of sale. No unauthorized discounts or offsets allowed. Customer agrees to pay a late fee of 1.5% (18% annum) or the highest amount allowed by law for past due balances. Customer agrees to pay all cost of collection including attorney's fees, court costs and other collection expenses. Products from Vista Outdoor Sales LLC may be controlled under the International Traffic in Arms Regulations and/or the Export Administration Regulations, and is subject to Export Control Laws of the U.S. Government. Transfer of controlled products by any means to a foreign person, whether in the U.S. or abroad, without an export license or other approval from the U.S. Department of State or the U.S. Department of Commerce, is prohibited. Any terms on any purchase order are hereby rejected and replaced with the foregoing terms, which are deemed accepted by acceptance of the goods. <http://vistaoutdoor.com/wp-content/uploads/2018/08/Vista-Outdoor-Terms-Conditions-of-Sale-August-2018.pdf>

Shipped From: VISTA OUTDOOR SALES LLC
1 VISTA WAY

Packing List

ANOKA, MN 55303

Sold To: IMI SYSTEMS YITZHAK PLANT 64 BIALIK BLVD RAMAT HASHARON, ISR	Ship To: IMI SYSTEMS LTD YITZHAK PLANT 64 BIALIK BLVD RAMAT HASHARON, 47100 ISR
--	--

Page Number 1 of 2	Shipment ID: SO016299732+RT02659553	Order Date: 01/12/2022	Ship Date: 09/26/2023
Customer No: 221681	Customer PO(s) 27212667		

Item	Description	ERP Order #	Customer PO	Base Quantity	Converted Qty	Extended Weight
321	PRIMER NO.35 OEM	SO016299732	27212667	175,000.00 EA	70.00 CS	717.50 LB
321	PRIMER NO.35 OEM	SO016299732	27212667	225,000.00 EA	90.00 CS	922.50 LB
321	PRIMER NO.35 OEM	SO016299732	27212667	600,000.00 EA	240.00 CS	2,460.00 LB

Vista Outdoor Sales LLC is a subsidiary of Vista Outdoor Inc. All sales subject to Vista Outdoor General Terms and Conditions of Sale including but not limited to the following: FOB Origin (freight prepaid where applicable); Title and risk of loss transfer to the Buyer upon delivery to the carrier; No goods sold on consignment. No merchandise may be returned without prior authorization and returns may be subject to a restocking fee. Contact Customer Service for return authorization. Sales personnel are not authorized to make adjustments or alter terms of sale. No unauthorized discounts or offrets allowed. Customer agrees to pay a late fee of 1.5% (18% annum) or the highest amount allowed by law for past due balances. Customer agrees to pay all cost of collection including attorney's fees, court costs and other collection expenses. Products from Vista Outdoor Sales LLC may be controlled under the International Traffic in Arms Regulations and/or the Export Administration Regulations, and is subject to Export Control Laws of the U.S. Government. Transfer of controlled products by any means to a foreign person, whether in the U.S. or abroad, without an export license or other approval from the U.S. Department of State or the U.S. Department of Commerce, is prohibited. Any terms on any purchase order are hereby rejected and replaced with the foregoing terms, which are deemed accepted by acceptance of the goods.
<http://vistaoutdoor.com/wp-content/uploads/2018/08/Vista-Outdoor-Terms-Conditions-of-Sale-August-2018.pdf>

Shipped From: VISTA OUTDOOR SALES LLC
1 VISTA WAY

Packing List

ANOKA, MN 55303

Sold To: IMI SYSTEMS YITZHAK PLANT 64 BIALIK BLVD RAMAT HASHARON, ISR		Ship To: IMI SYSTEMS LTD YITZHAK PLANT 64 BIALIK BLVD RAMAT HASHARON, 47100 ISR	
Page Number 2 of 2	Shipment ID: SO016299732+RT02659553	Order Date: 01/12/2022	Ship Date: 09/26/2023
Customer No: 221681	Customer PO(s) 27212667		

Please Bring any Discrepancies to our Attention Immediately

Total Pallets: 2.00

Total Weights: 4,100.00 LB

		Primers	Grand Total
CS	Quantity	400.00	400.00
	Weight(lb)	4,100.00	4,100.00
Summary	Quantity	400.00	400.00
	Weight(lb)	4,100.00	4,100.00

Vista Outdoor Sales LLC is a subsidiary of Vista Outdoor Inc. All sales subject to Vista Outdoor General Terms and Conditions of Sale including but not limited to the following: FOB Origin (freight prepaid where applicable); Title and risk of loss transfer to the Buyer upon delivery to the carrier; No goods sold on consignment. No merchandise may be returned without prior authorization and returns may be subject to a restocking fee. Contact Customer Service for return authorization. Sales personnel are not authorized to make adjustments or alter terms of sale. No unauthorized discounts or offsets allowed. Customer agrees to pay a late fee of 1.5% (18% annum) or the highest amount allowed by law for past due balances. Customer agrees to pay all cost of collection including attorney's fees, court costs and other collection expenses. Products from Vista Outdoor Sales LLC may be controlled under the International Traffic in Arms Regulations and/or the Export Administration Regulations, and is subject to Export Control Laws of the U.S. Government. Transfer of controlled products by any means to a foreign person, whether in the U.S. or abroad, without an export license or other approval from the U.S. Department of State or the U.S. Department of Commerce, is prohibited. Any terms on any purchase order are hereby rejected and replaced with the foregoing terms, which are deemed accepted by acceptance of the goods.
<http://vistaoutdoor.com/wp-content/uploads/2018/08/Vista-Outdoor-Terms-Conditions-of-Sale-August-2018.pdf>

SHIPPER'S DECLARATION FOR DANGEROUS GOODS

(Provide at least two copies to the airline.)

Shipper:
VISTA OUTDOOR SALES LLC
1 VISTA WAY
ANOKA, MN 55303
USA

Air Waybill No.

700-7410-6373

Page 1 of 1 Pages

Shipper's Reference Number

SO016299732+RT02659553

Consignee:
IMI SYSTEMS LTD 2
YITZHAK PLANT
64 BIALIK BLVD
RAMAT HASHARON, 47100
ISRAEL (ISR)

Two completed and signed copies of this Declaration must
be handed to the operator.

TRANSPORT DETAILS

This shipment is within the
limitations prescribed for:
(delete non-applicable)

Airport of Departure

JFK
New York
USA

Passenger
and cargo
aircraft

~~Cargo Aircraft Only~~

WARNING

Failure to comply in all respects with the applicable
Dangerous Goods Regulations may be in breach of the
applicable law, subject to legal penalties.

Airport of Destination:

Tel Aviv, Israel

Shipment type:(delete non-applicable)

NON-RADIOACTIVE

~~RADIOACTIVE~~

NATURE AND QUANTITY OF DANGEROUS GOODS

(see Subsections 6.6 and 8.1 of IATA Dangerous Goods Regulations)

Dangerous Goods Identification

UN or ID No.	Proper Shipping Name	Class or Division (Subsidiary Risk)	Packing Group	Quantity and Type of packing	Packing Inst.	Authorization
UN0044	PRIMERS, CAP TYPE	1.4S		260 FIBREBOARD BOXES X 4.20 kg (NEQ 0.34 kg) OVERPACK USED X 1 # 1 TOTAL QUANTITY PER OVERPACK 1092.00 kg (NEQ: 88.40 kg)	133	EX - 2005030083
UN0044	PRIMERS, CAP TYPE	1.4S		140 FIBREBOARD BOXES X 4.20 kg (NEQ 0.34 kg) OVERPACK USED X 1 # 2 TOTAL QUANTITY PER OVERPACK 588.00 kg (NEQ: 47.60 kg)	133	EX - 2005030083

Additional Handling Information

SPILLED PRIMERS SHOULD BE REPLACED IN THEIR PROTECTIVE PACKAGING OR
PLACED IN A CONTAINER OF WATER FOR DISPOSAL.

CHEMTREC Emergency 24 Hour Contact Tel. No.
800-424-9300 DOMESTIC
+1-703-527-3887 INTERNATIONAL

CHEMTREC ACCT# CCN 8313

I hereby declare that the contents of this consignment are fully and
accurately described above by the proper shipping name and are
classified, packaged, marked and labeled/placarded, and are in all
respects in proper condition for transport according to applicable
international and national governmental regulations. I declare that all
of the applicable air transport requirements have been met.

Name/Title of Signatory
Roman Orlioglo / Traffic Supv
Place and Date
Anoka, MN 28/09/2023
Signature
(see warning above)



U.S. Department
of Transportation

Pipeline and Hazardous
Materials Safety Administration

The US Department of Transportation
Competent Authority for the United States

East Building, PHH - 32
1200 New Jersey Avenue, Southeast
Washington, D.C. 20590

CLASSIFICATION OF EXPLOSIVES
FIRST REVISION

Based upon a request by Federal Cartridge Company, 2299 Snake River Avenue, Lewiston, ID 83501, United States the following items are classed in accordance with Section 173.56, Title 49, Code of Federal Regulations (49 CFR). A copy of your application, all supporting documentation and a copy of this approval must be retained and made available to DOT upon request.

U.N. PROPER SHIPPING NAME AND NUMBER:

Primers, cap type, UN0044

U.N. CLASSIFICATION CODE: 1.4S

REFERENCE NUMBER

EX2005030083

PRODUCT DESIGNATION/PART NUMBER

Primer, No. 35, DoD, and Primer, No. 35

NOTES: This approval as revised supersedes all previous versions.

DATED: 09/14/2012

For Dr. Magdy El-Sibaie
Associate Administrator for Hazardous Materials Safety



Centerfire Primers & Musket Caps – Lewiston

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision Date: 11/30/2020

Supersedes Date: 03/14/2016

Version: 2.1

SECTION 1: IDENTIFICATION

Product Identifier

Product Name: Small arms primers and percussion caps.

Product Code: All Lewiston produced small arms primers including musket caps and APS strips. SDS# F4004

Intended Use of the Product

Small arms ammunition manufacturing and reloading

Name, Address, and Telephone of the Responsible Party

Company

Federal Cartridge Company d/b/a CCI/Speer

2299 Snake River Avenue

Lewiston, ID 83501

T 1-800-635-7656

Emergency Telephone Number

Emergency number : 1-800-424-9300 (Inside US), 01-703-527-3887 (Outside US) - (CHEMTREC, Day or Night)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

Classification (GHS-US)

Physical Hazards:	Explosives	Division 1.4S
Health Hazards:	Acute Toxicity (Oral)	Category 4
	Skin Sensitization	Category 1A
	Carcinogenicity	Category 2
	Reproductive Toxicity	Category 1A
	Specific Target Organ Toxicity, Repeat Exposure	Category 2

Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)

:



Signal Word (GHS-US)

: DANGER

Hazard Statements (GHS-US)

: Fire or projection hazard. Suspected of causing cancer. May damage fertility or the unborn child. Causes damage to organs (central nervous system, blood, kidney, reproductive system) through prolonged or repeated exposure.

Precautionary Statements (GHS-US)

Prevention:

Do not handle until all safety precautions have been read and understood. Keep away from heat. No smoking. Do not subject to shock. Wear eye protection. Do not breathe fumes. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.

Response:

In case of fire: Evacuate area. Fight fire with normal precautions from a reasonable distance. If exposed, concerned or you feel unwell: Call a doctor or get medical attention.

Storage: Store in accordance with applicable fire codes. Keep only in original packaging.

Disposal: Dispose of ammunition in accordance with local regulations.

Supplemental information: The hazardous components of this product are encased and are not biologically available. Therefore, some health hazards do not apply to the overall product. Decomposition products, including lead, are released during the firing of primers. Use only outdoors or in a well-ventilated area. Do not attempt to open or dissect a primer, as it may explode causing projectiles dangerous to the eyes, skin and body. Keep in original

Centerfire Primers & Musket Caps – Lewiston

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

factory packaging and trays provided ONLY – DO NOT STORE IN BULK.

Other Hazards

Other Hazards Not Contributing to the Classification: THIS SDS DOES NOT COVER LOADED AMMUNITION. Lead and barium are toxic metals that may be released during the firing of primers. Care should be taken in the cleaning of range facilities to minimize the exposure potential to lead and barium. Persons engaged in these activities should wear protective clothing with an appropriate respirator. Range operators should consult OSHA 1910.1025 for details pertaining to the handling of lead in the work environment. Severe lead intoxication has been associated in the past with sterility, spontaneous abortion, and stillbirth. Exposure to lead can aggravate pre-existing anemia, cardiovascular and respiratory diseases and conditions related to the gastrointestinal, reproductive, renal (kidney), and central nervous systems.

Accidental Injury From Fired Cartridge: Fired ammunition can create serious injury, possibly both entrance and exit wounds. To avoid serious injury, use ammunition only in good condition and originally chambered for a particular caliber. Always keep the barrel free of any obstruction. If the gun fails to fire, a delayed firing may occur, or the gun may fire upon being opened. Keep gun muzzle pointed in a safe direction. Wait 30 seconds. Avoid exposure to breech. Carefully unload. A fired bullet has an extremely long range and can cause serious injury or death. Always be sure of the backstop, and practice safe muzzle control at all times. Avoid firing at surfaces.

Unknown Acute Toxicity (GHS-US) Not available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Name	Product identifier	% (w/w)
Copper	(CAS No) 7440-50-8	54 - 86
Zinc	(CAS No) 7440-66-6	3 - 37
Nickel**	(CAS No) 7440-02-0	≤ 1
Antimony Sulfide*	(CAS No) 1345-04-6	0.5 – 4
Barium*	(CAS No) 7440-39-3	1 – 8
1,3-Benzenediol, 2,4,6-trinitro-, lead salt	(CAS No) 15245-44-0	2 - 8
Aluminum*	(CAS No) 7429-90-5	0.1 - 2
1-Tetrazene-1-carboximidic acid, 4-(aminoiminomethyl)-, 2-nitrosohydrazide*	(CAS No) 109-27-3	< 0.1

*The hazardous components of this product are encased within the primer and are unlikely to be released under normal handling conditions. Therefore, the health and environmental hazards associated with certain components do not apply to the product overall.

**It is suspected that nickel causes cancer and damage to the respiratory tract via inhalation. Because this product is in massive form, it is unlikely that respiration is a potential route of exposure. Therefore, the hazards usually associated with nickel do not apply to this product.

The ecotoxicological information applies to the materials encased within the product.

Full text of H-phrases: see section 16

SECTION 4: FIRST AID MEASURES

Description of First Aid Measures

General: Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention.

Inhalation: When symptoms occur: go into open air and ventilate suspected area. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician.

Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Call a POISON CENTER/doctor/physician if you feel unwell. Wash contaminated clothing before reuse.

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention.

Ingestion: Rinse mouth. Do not induce vomiting. Get medical advice and attention if you feel unwell.

Centerfire Primers & Musket Caps – Lewiston

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Most Important Symptoms and Effects Both Acute and Delayed

General: Toxic if swallowed, in contact with skin or if inhaled. Projectiles from fired cartridges can cause puncture wounds. When cartridges are fired or otherwise discharged, dust, vapors, and/or fumes may be absorbed by the digestive system and can result in both acute and chronic overexposure. Ingestion of a complete primer can cause irritation to the digestive system, and possibly other unknown health effects.

Inhalation: Fatal if inhaled.

Skin Contact: May cause skin irritation.

Eye Contact: May cause eye irritation.

Ingestion: Toxic if swallowed.

Chronic Symptoms: May damage fertility. May damage the unborn child. May cause damage to organs through prolonged or repeated exposure.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If you feel unwell, seek medical advice (show the label where possible).

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: DO NOT FIGHT FIRES INVOLVING EXPLOSIVES. Water may be applied through fixed extinguishing system (sprinklers) as long as people need not be present for the system to operate.

Unsuitable Extinguishing Media: DO NOT fight fires involving explosives.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: May ignite if heated to 250°F (121°C) causing projection of metal fragments. Mass explosion will not occur in factory packaging. LOOSE PRIMERS OUTSIDE OF FACTORY PACKAGING CAN MASS DETONATE. Hazardous chemical and toxic by-products from chemical decomposition may be formed during fire. These products vary depending on fire conditions and other combustibles present during fire. These may include smoke, carbon monoxide, carbon dioxide, oxides of nitrogen and lead fumes. Complete ventilation of structure is recommended.

Explosion Hazard: Explosive. Explosion risk in case of fire. Unpackaged primer detonations can propagate causing simultaneous detonation of surrounding primers resulting in a violent explosion.

Reactivity: May detonate with friction, impact, and heat.

Advice for Firefighters

Precautionary Measures Fire: Do not breathe fumes from fires or vapors from decomposition.

Firefighting Instructions: Perform a risk assessment before engaging in offensive firefighting operations. Unless life safety risk or significant risk of property loss is present, consider taking defensive posture, protecting exposures and maintaining safe distance until material is consumed. For further information see the video "Ammunition and the Fire Fighter" by the Sporting Arms and Ammunition Manufacturers' Institute (SAAMI).

Protection During Firefighting: Firefighters should wear full protective gear when fighting or downwind of initial fire.

Hazardous Combustion Products: Metal oxides. Nitrogen oxides. Carbon oxides (CO, CO₂).

Reference to Other Sections

Refer to section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid skin and eye contact. Do not breathe dust or fumes. Remove ignition sources. No naked lights. No smoking. Evacuate danger area. Do not allow product to spread into the environment.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area.

Environmental Precautions

Avoid release to the environment.

Methods and Material for Containment and Cleaning Up

For Containment: Contain and collect as any solid. Use only non-sparking tools.

Centerfire Primers & Musket Caps – Lewiston

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Methods for Cleaning Up: DO NOT SWEEP SPILLED PRIMERS INTO A PILE. Spray spilled primers with a water/detergent mixture. Do not allow primers to become dry. Collect in original trays or submerge in oil.

Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Additional Hazards When Processed: Do not breathe decomposition products. Lead containing compounds are released during the firing of primers. Projectiles from fired cartridges can cause puncture wounds. Remove cartridges from service if any of the following conditions have occurred: corrosion, physical damage, exposure to oil or spray type lubricants.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Do not subject to mechanical shock.

Storage Conditions: KEEP IN ORIGINAL CONTAINER. Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep in fireproof place.

Incompatible Materials: Strong acids. Strong bases. Strong oxidizers.

Storage Area: Store locked up.

Specific End Use(s) Small arms primer

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Copper (7440-50-8)		
USA ACGIH	ACGIH TWA (mg/m ³)	0.2 mg/m ³
USA OSHA	OSHA PEL (TWA) (mg/m ³)	1 mg/m ³
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	0.1 mg/m ³
USA IDLH	US IDLH (mg/m ³)	100 mg/m ³
Alberta	OEL TWA (mg/m ³)	1 mg/m ³
British Columbia	OEL TWA (mg/m ³)	0.2 mg/m ³
Manitoba	OEL TWA (mg/m ³)	0.2 mg/m ³
New Brunswick	OEL TWA (mg/m ³)	1 mg/m ³
Newfoundland & Labrador	OEL TWA (mg/m ³)	0.2 mg/m ³
Nova Scotia	OEL TWA (mg/m ³)	0.2 mg/m ³
Nunavut	OEL STEL (mg/m ³)	2 mg/m ³
Nunavut	OEL TWA (mg/m ³)	1 mg/m ³
Northwest Territories	OEL STEL (mg/m ³)	2 mg/m ³
Northwest Territories	OEL TWA (mg/m ³)	1 mg/m ³
Ontario	OEL TWA (mg/m ³)	1 mg/m ³
Prince Edward Island	OEL TWA (mg/m ³)	0.2 mg/m ³
Québec	VEMP (mg/m ³)	1 mg/m ³
Saskatchewan	OEL STEL (mg/m ³)	3 mg/m ³
Saskatchewan	OEL TWA (mg/m ³)	1 mg/m ³
Yukon	OEL STEL (mg/m ³)	2 mg/m ³
Yukon	OEL TWA (mg/m ³)	1 mg/m ³
Aluminum (7429-90-5)		
Mexico	OEL TWA (mg/m ³)	10 mg/m ³
USA ACGIH	ACGIH TWA (mg/m ³)	1 mg/m ³
USA OSHA	OSHA PEL (TWA) (mg/m ³)	5 mg/m ³
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	5 mg/m ³
Alberta	OEL TWA (mg/m ³)	10 mg/m ³
British Columbia	OEL TWA (mg/m ³)	1.0 mg/m ³
Manitoba	OEL TWA (mg/m ³)	1 mg/m ³

Centerfire Primers & Musket Caps – Lewiston

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

New Brunswick	OEL TWA (mg/m ³)	10 mg/m ³
Newfoundland & Labrador	OEL TWA (mg/m ³)	1 mg/m ³
Nova Scotia	OEL TWA (mg/m ³)	1 mg/m ³
Nunavut	OEL STEL (mg/m ³)	20 mg/m ³
Nunavut	OEL TWA (mg/m ³)	10 mg/m ³
Northwest Territories	OEL STEL (mg/m ³)	20 mg/m ³
Northwest Territories	OEL TWA (mg/m ³)	10 mg/m ³
Ontario	OEL TWA (mg/m ³)	1 mg/m ³
Prince Edward Island	OEL TWA (mg/m ³)	1 mg/m ³
Québec	VEMP (mg/m ³)	10 mg/m ³
Saskatchewan	OEL STEL (mg/m ³)	20 mg/m ³
Saskatchewan	OEL TWA (mg/m ³)	10 mg/m ³

Antimony (7440-36-0)

Mexico	OEL TWA (mg/m ³)	0.5 mg/m ³
USA ACGIH	ACGIH TWA (mg/m ³)	0.5 mg/m ³
USA OSHA	OSHA PEL (TWA) (mg/m ³)	0.5 mg/m ³
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	0.5 mg/m ³
USA IDLH	US IDLH (mg/m ³)	50 mg/m ³
Alberta	OEL TWA (mg/m ³)	0.5 mg/m ³
British Columbia	OEL TWA (mg/m ³)	0.5 mg/m ³
Manitoba	OEL TWA (mg/m ³)	0.5 mg/m ³
New Brunswick	OEL TWA (mg/m ³)	0.5 mg/m ³
Newfoundland & Labrador	OEL TWA (mg/m ³)	0.5 mg/m ³
Nova Scotia	OEL TWA (mg/m ³)	0.5 mg/m ³
Nunavut	OEL STEL (mg/m ³)	1.5 mg/m ³
Nunavut	OEL TWA (mg/m ³)	0.5 mg/m ³
Northwest Territories	OEL STEL (mg/m ³)	1.5 mg/m ³
Northwest Territories	OEL TWA (mg/m ³)	0.5 mg/m ³
Ontario	OEL TWA (mg/m ³)	0.5 mg/m ³
Prince Edward Island	OEL TWA (mg/m ³)	0.5 mg/m ³
Québec	VEMP (mg/m ³)	0.5 mg/m ³
Saskatchewan	OEL STEL (mg/m ³)	1.5 mg/m ³
Saskatchewan	OEL TWA (mg/m ³)	0.5 mg/m ³
Yukon	OEL STEL (mg/m ³)	0.75 mg/m ³
Yukon	OEL TWA (mg/m ³)	0.5 mg/m ³

Barium (7440-39-3)

USA ACGIH	ACGIH TWA (mg/m ³)	0.5 mg/m ³
Alberta	OEL TWA (mg/m ³)	0.5 mg/m ³
British Columbia	OEL TWA (mg/m ³)	0.5 mg/m ³
Manitoba	OEL TWA (mg/m ³)	0.5 mg/m ³
New Brunswick	OEL TWA (mg/m ³)	0.5 mg/m ³
Newfoundland & Labrador	OEL TWA (mg/m ³)	0.5 mg/m ³
Nova Scotia	OEL TWA (mg/m ³)	0.5 mg/m ³
Ontario	OEL TWA (mg/m ³)	0.5 mg/m ³
Prince Edward Island	OEL TWA (mg/m ³)	0.5 mg/m ³
Saskatchewan	OEL STEL (mg/m ³)	1.5 mg/m ³
Saskatchewan	OEL TWA (mg/m ³)	0.5 mg/m ³

Lead (7439-92-1)

Mexico	OEL TWA (mg/m ³)	0.15 mg/m ³
USA ACGIH	ACGIH TWA (mg/m ³)	0.05 mg/m ³
USA OSHA	OSHA PEL (TWA) (mg/m ³)	50 µg/m ³

Centerfire Primers & Musket Caps – Lewiston

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

USA NIOSH	NIOSH REL (TWA) (mg/m ³)	0.050 mg/m ³
USA IDLH	US IDLH (mg/m ³)	100 mg/m ³
Alberta	OEL TWA (mg/m ³)	0.05 mg/m ³
British Columbia	OEL TWA (mg/m ³)	0.05 mg/m ³
Manitoba	OEL TWA (mg/m ³)	0.05 mg/m ³
New Brunswick	OEL TWA (mg/m ³)	0.05 mg/m ³
Newfoundland & Labrador	OEL TWA (mg/m ³)	0.05 mg/m ³
Nova Scotia	OEL TWA (mg/m ³)	0.05 mg/m ³
Nunavut	OEL STEL (mg/m ³)	0.45 mg/m ³
Nunavut	OEL TWA (mg/m ³)	0.15 mg/m ³
Northwest Territories	OEL STEL (mg/m ³)	0.45 mg/m ³
Northwest Territories	OEL TWA (mg/m ³)	0.15 mg/m ³
Ontario	OEL TWA (mg/m ³)	0.05 mg/m ³ (applies to workplaces to which the designated substances regulation does not apply)
Prince Edward Island	OEL TWA (mg/m ³)	0.05 mg/m ³
Québec	VEMP (mg/m ³)	0.05 mg/m ³
Saskatchewan	OEL STEL (mg/m ³)	0.15 mg/m ³
Saskatchewan	OEL TWA (mg/m ³)	0.05 mg/m ³
Yukon	OEL STEL (mg/m ³)	0.45 mg/m ³
Yukon	OEL TWA (mg/m ³)	0.15 mg/m ³

Nickel (7440-02-0)

Mexico	OEL TWA (mg/m ³)	1 mg/m ³
USA ACGIH	ACGIH TWA (mg/m ³)	1.5 mg/m ³
USA OSHA	OSHA PEL (TWA) (mg/m ³)	1 mg/m ³
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	0.015 mg/m ³
USA IDLH	US IDLH (mg/m ³)	10 mg/m ³
Alberta	OEL TWA (mg/m ³)	1.5 mg/m ³
British Columbia	OEL TWA (mg/m ³)	0.05 mg/m ³
Manitoba	OEL TWA (mg/m ³)	1.5 mg/m ³
New Brunswick	OEL TWA (mg/m ³)	1 mg/m ³
Newfoundland & Labrador	OEL TWA (mg/m ³)	1.5 mg/m ³
Nova Scotia	OEL TWA (mg/m ³)	1.5 mg/m ³
Nunavut	OEL STEL (mg/m ³)	2 mg/m ³
Nunavut	OEL TWA (mg/m ³)	1 mg/m ³
Northwest Territories	OEL STEL (mg/m ³)	2 mg/m ³
Northwest Territories	OEL TWA (mg/m ³)	1 mg/m ³
Ontario	OEL TWA (mg/m ³)	1 mg/m ³
Prince Edward Island	OEL TWA (mg/m ³)	1.5 mg/m ³
Québec	VEMP (mg/m ³)	1 mg/m ³
Saskatchewan	OEL STEL (mg/m ³)	3 mg/m ³
Saskatchewan	OEL TWA (mg/m ³)	1.5 mg/m ³
Yukon	OEL STEL (mg/m ³)	3 mg/m ³
Yukon	OEL TWA (mg/m ³)	1 mg/m ³

Barium (7440-39-3)

USA ACGIH	ACGIH TWA (mg/m ³)	0.5 mg/m ³
Alberta	OEL TWA (mg/m ³)	0.5 mg/m ³
British Columbia	OEL TWA (mg/m ³)	0.5 mg/m ³
Manitoba	OEL TWA (mg/m ³)	0.5 mg/m ³
New Brunswick	OEL TWA (mg/m ³)	0.5 mg/m ³
Newfoundland & Labrador	OEL TWA (mg/m ³)	0.5 mg/m ³
Nova Scotia	OEL TWA (mg/m ³)	0.5 mg/m ³

Centerfire Primers & Musket Caps – Lewiston

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Ontario	OEL TWA (mg/m ³)	0.5 mg/m ³
Prince Edward Island	OEL TWA (mg/m ³)	0.5 mg/m ³
Saskatchewan	OEL STEL (mg/m ³)	1.5 mg/m ³
Saskatchewan	OEL TWA (mg/m ³)	0.5 mg/m ³

Exposure Controls

Appropriate Engineering Controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment: Gloves. Protective goggles. Protective clothing.



Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear chemically resistant protective gloves.

Eye Protection: Chemical goggles or safety glasses.

Skin and Body Protection: Wash contaminated clothing before reuse.

Respiratory Protection: Use a NIOSH-approved respirator or self-contained breathing apparatus whenever exposure may exceed established Occupational Exposure Limits.

Environmental Exposure Controls: Do not allow the product to be released into the environment.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State	: Solid
Appearance	: Nickel plated or brass cup.
Odor	: Not available
Odor Threshold	: Not available
pH	: Not available
Evaporation Rate	: Not available
Melting Point	: Not available
Freezing Point	: Not available
Boiling Point	: Not available
Flash Point	: Not available
Auto-ignition Temperature	: Not available
Decomposition Temperature	: Not available
Flammability (solid, gas)	: Not available
Lower Flammable Limit	: Not available
Upper Flammable Limit	: Not available
Vapor Pressure	: Not available
Relative Vapor Density at 20 °C	: Not available
Relative Density	: Not available
Specific Gravity	: Not available
Solubility	: Not available
Partition coefficient: n-octanol/water	: Not available
Viscosity	: Not available
Explosive properties	: Fire or projection hazard
Explosion Data – Sensitivity to Mechanical Impact	: Sensitive to mechanical impact
Explosion Data – Sensitivity to Static Discharge	: Not sensitive

Centerfire Primers & Musket Caps – Lewiston

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 10: STABILITY AND REACTIVITY

Reactivity: May detonate with friction, impact, and heat. WILL PROPAGATE OUTSIDE OF ORIGINAL PACKAGING.

Chemical Stability: Risk of explosion by shock, friction, fire or other sources of ignition.

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid: Heat. Sparks. Open flame. Overheating. Extremely high or low temperatures. Direct sunlight.

Incompatible Materials: Strong acids. Strong bases. Strong oxidizers.

Hazardous Decomposition Products: None known.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity: Fatal if swallowed. Fatal if inhaled.

LD50 and LC50 Data:

Centerfire Primers & Musket Caps - Lewiston	
ATE US (oral)	5.00 mg/kg body weight
ATE US (dermal)	50.00 mg/kg body weight
ATE US (dust, mist)	0.05 mg/l/4h

Skin Corrosion/Irritation: Not classified

Serious Eye Damage/Irritation: Not classified

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Teratogenicity: Not available

Carcinogenicity: The National Toxicology Program (NTP) considers lead compounds reasonably anticipated to be a human carcinogen.

Specific Target Organ Toxicity (Repeated Exposure): May cause damage to organs through prolonged or repeated exposure.

Reproductive Toxicity: May damage fertility or the unborn child.

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Fatal if inhaled.

Symptoms/Injuries After Skin Contact: May cause skin irritation.

Symptoms/Injuries After Eye Contact: May cause eye irritation.

Symptoms/Injuries After Ingestion: Fatal if swallowed.

Chronic Symptoms: May damage fertility. May cause cancer. May damage the unborn child. May cause damage to organs through prolonged or repeated exposure.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Barium (7440-39-3)	
LD50 Oral Rat	132 mg/kg
1,3-Benzenediol, 2,4,6-trinitro-, lead salt (15245-44-0)	
ATE US (oral)	500.00 mg/kg body weight
ATE US (dust, mist)	1.50 mg/l/4h
Nickel (7440-02-0)	
LD50 Oral Rat	> 9000 mg/kg
Antimony (7440-36-0)	
LD50 Oral Rat	100 mg/kg
Nickel (7440-02-0)	
IARC Group	2B
National Toxicity Program (NTP) Status	Reasonably anticipated to be Human Carcinogen.
Lead (7439-92-1)	
IARC Group	2A
National Toxicity Program (NTP) Status	Reasonably anticipated to be Human Carcinogen.

Centerfire Primers & Musket Caps – Lewiston

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Ecology - General: The ecotoxicological information applies to the materials encased within the product..

Zinc (7440-66-6)

LC50 Fish 1	2.16 - 3.05 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 Daphnia 1	0.139 - 0.908 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
LC 50 Fish 2	0.211 - 0.269 mg/l (Exposure time: 96 h - Species: Pimephales promelas [semi-static])

Copper (7440-50-8)

LC50 Fish 1	0.0068 - 0.0156 mg/l (Exposure time: 96 h - Species: Pimephales promelas)
EC50 Daphnia 1	0.03 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
EC50 Other Aquatic Organisms 1	0.0426 - 0.0535 mg/l (Exposure time: 72 h - Species: Pseudokirchneriella subcapitata [static])
LC 50 Fish 2	0.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Other Aquatic Organisms 2	0.031 - 0.054 mg/l (Exposure time: 96 h - Species: Pseudokirchneriella subcapitata [static])

Lead (7439-92-1)

LC50 Fish 1	0.44 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static])
EC50 Daphnia 1	600 µg/l (Exposure time: 48 h - Species: water flea)
LC 50 Fish 2	1.17 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])

Nickel (7440-02-0)

LC50 Fish 1	100 mg/l (Exposure time: 96 h - Species: Brachydanio rerio)
EC50 Daphnia 1	100 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC 50 Fish 2	1.3 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static])
EC50 Daphnia 2	1 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
EC50 Other Aquatic Organisms 2	0.174 - 0.311 mg/l (Exposure time: 96 h - Species: Pseudokirchneriella subcapitata [static])

Persistence and Degradability

Centerfire Primers & Musket Caps – Lewiston

Persistence and Degradability	Not established. May cause long-term adverse effects in the environment.
-------------------------------	--

Copper (7440-50-8)

Persistence and Degradability	Not readily biodegradable.
-------------------------------	----------------------------

Bioaccumulative Potential

Centerfire Primers & Musket Caps – Lewiston

Bioaccumulative Potential	Not established.
---------------------------	------------------

Mobility in Soil

 Not available

Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations. **DO NOT CONSOLIDATE PRIMERS OUTSIDE OF FACTORY PACKAGING.**

Ecology – Waste Materials: Avoid release to the environment.

SECTION 14: TRANSPORT INFORMATION

14.1 In Accordance with DOT

The environmentally hazardous substance mark is not required when transported in sizes of .5 L or ≤5 kg.

Proper Shipping Name	: PRIMERS, CAP TYPE
Hazard Class	: 1.4S
Identification Number	: UN0044
Label Codes	: 1.4S
Packing Group	: II
ERG Number	: 114



14.2 In Accordance with IMDG

Centerfire Primers & Musket Caps – Lewiston

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Proper Shipping Name : PRIMERS, CAP TYPE
Hazard Class : 1
Identification Number : UN0044
Label Codes : 1.4S
EmS-No. (Fire) : F-B
EmS-No. (Spillage) : S-X
MFAG Number : 114



14.3 In Accordance with IATA

Proper Shipping Name : Check with air carrier prior to shipment via air.
Identification Number :
Hazard Class :
Label Codes :
ERG Code (IATA) :

14.4 In Accordance with TDG

Proper Shipping Name : PRIMERS, CAP TYPE
Packing Group : II
Hazard Class : 1.4S
Identification Number : UN0044
Label Codes : 1.4S



SECTION 15: REGULATORY INFORMATION

US Federal Regulations

Centerfire Primers & Musket Caps – Lewiston	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Delayed (chronic) health hazard Sudden release of pressure hazard
Zinc (7440-66-6)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Listed on United States SARA Section 313	
SARA Section 313 - Emission Reporting	1.0 % (dust or fume only)
Nickel (7440-02-0)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Listed on SARA Section 313 (Specific toxic chemical listings)	
RQ (Reportable Quantity, Section 304 of EPA's List of Lists):	100 lb (only applicable if particles are < 100 µm)
SARA Section 313 - Emission Reporting	0.1 %
Aluminum (7429-90-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Listed on SARA Section 313 (Specific toxic chemical listings)	
SARA Section 313 - Emission Reporting	1.0 % (dust or fume only)
1-Tetrazene-1-carboximidic acid, 4-(aminoiminomethyl)-, 2-nitrosohydrazide (109-27-3)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Antimony (7440-36-0)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Listed on SARA Section 313 (Specific toxic chemical listings)	
SARA Section 313 - Emission Reporting	1.0 %
1,3-Benzenediol, 2,4,6-trinitro-, lead salt (15245-44-0)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Lead (7439-92-1)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Listed on SARA Section 313 (Specific toxic chemical listings)	
SARA Section 313 - Emission Reporting	0.1 %

Centerfire Primers & Musket Caps – Lewiston

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Copper (7440-50-8)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Listed on United States SARA Section 313	
SARA Section 313 - Emission Reporting	1.0 %
Barium (7440-39-3)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Listed on United States SARA Section 313	
SARA Section 313 - Emission Reporting	1.0 %
US State Regulations	
Nickel (7440-02-0)	
U.S. - California - Proposition 65 - Carcinogens List	WARNING: This product contains chemicals known to the State of California to cause cancer.
Lead (7439-92-1)	
U.S. - California - Proposition 65 - Carcinogens List	WARNING: This product contains chemicals known to the State of California to cause cancer.
U.S. - California - Proposition 65 - Developmental Toxicity	WARNING: This product contains chemicals known to the State of California to cause birth defects.
U.S. - California - Proposition 65 - Reproductive Toxicity - Female	WARNING: This product contains chemicals known to the State of California to cause (Female) reproductive harm.
U.S. - California - Proposition 65 - Reproductive Toxicity - Male	WARNING: This product contains chemicals known to the State of California to cause (Male) reproductive harm.
Lead (7439-92-1)	
U.S. - Massachusetts - Right To Know List	
U.S. - New Jersey - Right to Know Hazardous Substance List	
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List	
U.S. - Pennsylvania - RTK (Right to Know) List	
Nickel (7440-02-0)	
U.S. - Massachusetts - Right To Know List	
U.S. - New Jersey - Right to Know Hazardous Substance List	
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List	
U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances	
U.S. - Pennsylvania - RTK (Right to Know) List	
Antimony (7440-36-0)	
U.S. - Massachusetts - Right To Know List	
U.S. - New Jersey - Right to Know Hazardous Substance List	
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List	
U.S. - Pennsylvania - RTK (Right to Know) List	
Aluminum (7429-90-5)	
U.S. - Massachusetts - Right To Know List	
U.S. - New Jersey - Right to Know Hazardous Substance List	
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List	
U.S. - Pennsylvania - RTK (Right to Know) List	
Zinc (7440-66-6)	
U.S. - Massachusetts - Right To Know List	
U.S. - New Jersey - Right to Know Hazardous Substance List	
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List	
U.S. - Pennsylvania - RTK (Right to Know) List	
Copper (7440-50-8)	
U.S. - Massachusetts - Right To Know List	

Centerfire Primers & Musket Caps – Lewiston

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List
U.S. - Pennsylvania - RTK (Right to Know) List

Barium (7440-39-3)

U.S. - Massachusetts - Right To Know List
U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List
U.S. - Pennsylvania - RTK (Right to Know) List

Canadian Regulations

Centerfire Primers & Musket Caps – Lewiston

WHMIS Classification	Class B Division 6 - Reactive Flammable Material Class B Division 4 - Flammable Solid Class D Division 1 Subdivision A - Very toxic material causing immediate and serious toxic effects Class D Division 2 Subdivision A - Very toxic material causing other toxic effects Class D Division 2 Subdivision B - Toxic material causing other toxic effects Class F - Dangerously Reactive Material Note: Explosives are not regulated under WHMIS. They are subject to the regulations of the Explosives Act of Canada.
----------------------	---



Zinc (7440-66-6)

Listed on the Canadian DSL (Domestic Substances List)

WHMIS Classification	Uncontrolled product according to WHMIS classification criteria
----------------------	---

Nickel (7440-02-0)

Listed on the Canadian DSL (Domestic Substances List) inventory.

Listed on the Canadian Ingredient Disclosure List

IDL Concentration 0.1 %

WHMIS Classification	Class D Division 2 Subdivision A - Very toxic material causing other toxic effects Class D Division 2 Subdivision B - Toxic material causing other toxic effects
----------------------	---

Lead (7439-92-1)

Listed on the Canadian DSL (Domestic Substances List) inventory.

Listed on the Canadian Ingredient Disclosure List

IDL Concentration 0.1 %

WHMIS Classification	Class D Division 2 Subdivision A - Very toxic material causing other toxic effects
----------------------	--

1,3-Benzenediol, 2,4,6-trinitro-, lead salt (15245-44-0)

Listed on Non-Domestic Substances List (NDSL)

Aluminum (7429-90-5)

Listed on the Canadian DSL (Domestic Substances List) inventory.

Listed on the Canadian Ingredient Disclosure List

IDL Concentration 1 %

WHMIS Classification	Class B Division 6 - Reactive Flammable Material Class B Division 4 - Flammable Solid
----------------------	--

Antimony (7440-36-0)

Listed on the Canadian DSL (Domestic Substances List) inventory.

Listed on the Canadian Ingredient Disclosure List

IDL Concentration 1 %

WHMIS Classification	Uncontrolled product according to WHMIS classification criteria
----------------------	---

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Listed on Non-Domestic Substances List (NDSL)

IDL Concentration 1 %

WHMIS Classification	Uncontrolled product according to WHMIS classification criteria
----------------------	---

Listed on the Canadian DSL (Domestic Substances List)

WHMIS Classification	Class B Division 6 - Reactive Flammable Material Class D Division 2 Subdivision B - Toxic material causing other toxic effects
----------------------	---

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

Alt. product labeling : This product may also additionally contain the following label provided in accordance with various State, Federal, and International regulations.



WARNING: Fire or projection hazard. Keep away from heat – no smoking. Do not subject to shock. Wear eye protection. Fight fire with normal precautions from a reasonable distance. Store and dispose of in accordance with local, national and international regulations.

1-800-635-7656

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.