

I N D I R E C T A I R C A R R I E R C E R T I F I C A T E

INTERGLOBAL FORWARDING SERVICE INC
1A COLONY ROAD
JERSEY CITY NJ 07305
22-2443386
TELEPHONE NUMBER : 2018588560
TSA APPROVAL NUMBER: EA9402060


Airline: C.A.L. CARGO AIR LINES LTD

Air Waybill	: 700-74129344	Our Reference:	01NJAE24669888
Scheduled Flt:	0552	Departure	: 12 JAN 24
Origin	: JFK	Destination	: TLV
Pieces	: 2	Gross Wt	: 553.3 K

Total Number and name of each unknown shipper represented is 0

Items being offered for transportation less than 16ounces 0

"INTERGLOBAL FORWARDING SERVICE INC is in compliance with its TSA-approved security program and all applicable security directives. Our number assigned by TSA is EA9402060. All cargo tendered in conjunction with this certification was either 1) accepted from a known shipper or an unknown shipper in accordance with TSA requirements specified in the Indirect Air Carrier Standard Security Program or 2) accepted under transfer from another aircraft operator, foreign air carrier, or IAC operating under a TSA-approved or accepted security program. The individual whose name appears below certifies that he or she is an employee or authorized representative of INTERGLOBAL FORWARDING SERVICE INC and understands that any fraudulent or false statement made in connection with this certification may subject this individual and INTERGLOBAL FORWARDING SERVICE INC to both (1) civil penalties under 49 CFR 1540.103(b) and (2) fines and/or imprisonment of not more than 5 years under 18 USC 1001."

Signature of IAC Rep. 

Print name of IAC Rep. LINA PEREIRA

Date 1/10/24

Accepting Airline: C.A.L. CARGO AIR LINES LTD

Airline representative's Signature and ID number: _____

700 | JFK | 7412 9344

700-74129344

Shipper's Name and Address INTERGLOBAL FORWARDING SERVICES INC 1A COLONY ROAD JERSEY CITY NJ 07305 22-2443386		Shipper's Account Number Not Negotiable CAL CARGO AILINES LTD Air Waybill C/O LUFTHANSA BUILDING 261 JFK INTL AIRPORT JAMAICA NY TEL. NO. :
Consignee's Name and Address GOVERNMENT OF ISRAEL, M. MISRAD HABITACHON HAKIRYA KAPLAN ST, TEL AVIV, ISRAEL 500100581		It is agreed that the goods described herein are accepted in apparent good order and condition (except as noted) for carriage SUBJECT TO THE CONDITIONS OF THE CONTRACT ON THE REVERSE HEREOF. ALL GOODS MAY BE CARRIED BY ANY OTHER MEANS INCLUDING ROAD HEREON BY THE SHIPPER, AND SHIPPER AGREES THAT THE SHIPMENT MAY BE CARRIED VIA INTERMEDIATE STOPPING PLACES WHICH THE CARRIER DEEMS APPROPRIATE. THE SHIPPER'S ATTENTION IS DRAWN TO THE NOTICE CONCERNING CARRIER'S LIMITATION OF LIABILITY. Shipper may increase such limitation of liability by declaring a higher value for carriage and paying supplemental charge if required.

Issuing Carrier's Agent Name and City INTERGLOBAL FORWARDING SERVICES, INC 1A COLONY ROAD JERSEY CITY, NJ 07305		Accounting Information FILE# 01NJAE24669888 FLT # 0552 DATE 12 JAN 24 SHP REF 195766 BILL IFS001
Agent's IATA Code 0119839012/	Account No.	

Airport of Departure (Addr. of First Carrier) and Requested Routing J. F. KENNEDY AIRPORT		References, Markings PREPARED BY LINA	Additional Shipping Information
To TIV	By First Carrier C. A. L. CARGO AIR LTN	Currency USD	Declared Value for Carriage NVD

Airport of Destination REN GURION AIRPORT	Requested Flight/Date 0552/12	Amount of Insurance XXX	INSURANCE - If carrier offers insurance, and such insurance is requested in accordance with the conditions thereof, indicate amount to be insured in figures in box marked "Amount of Insurance"
---	---	-----------------------------------	--

Handling Information
DANGEROUS GOODS AS PER ASSOCIATED SHIPPER'S DECLARATION CARGO AIRCRAFT ONLY
LOT # E002860 DEST: AA HAWB# 172302 PO# 4440800847 OVERPACK USED
P.O. BOX 7022, TEL AVIV, ISRAEL 2@48X40X28
 These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Ultimate destination **ISRAEL**

No. of Pieces RCP	Gross Weight	Kg Lb	Rate Class	Commodity Item No.	Chargeable Weight	Rate Charge	Total	Nature and Quantity of Goods (incl. Dimensions or Volume)
2	553.3	K			553.5	2.86	1583.01	UN0454 IGNITERS CLASS 1.4S, P/I: 142 EX2019042000 OVERPACK USED CARGO AIRCRAFT ONLY HS#3603.50
AES X20240110549925								
2	553.3						1583.01	

Prepaid Weight Charge Collect 1583.01	Other Charges FUEL SURCHARGE (C) 1046.12 FAA SECURITY (C) 99.63 DANGEROUS GOODS (C) 80.00 MANUAL HAWB INP (C) 10.00
Valuation Charge Tax Total Other Charges Due Agent Total Other Charges Due Carrier 1235.75	Shipper certifies that the particulars on the face hereof are correct and that insofar as any part of the consignment contains dangerous goods, such part is properly described by name and is in proper condition for carriage by air according to the applicable Dangerous Goods Regulations.
Total Prepaid 2818.76	Signature of Shipper or his Agent INTERGLOBAL FORWARDING SERVICES INC
Currency Conversion Rates CC Charges in Dest. Currency	Executed on (date) 10 JAN 2024 J. F. KENNEDY AIRPORT LINA PEREIRA at (place) _____ Signature of Issuing Carrier or its Agent

For Carriers Use only at Destination	Charges at Destination Total Collect Charges	700-74129344
--------------------------------------	---	--------------

ORIGINAL (FOR SHIPPER)

Reference 195766
MAMB 700-74129344
Flight# 0552
Consigned To GOVERNMENT OF ISRAEL, M.O.D.
MISRAD HABITACHON
HAKIRYA KAPLAN ST, TEL AVIV, ISRAEL
Carrier C.A.L. CARGO AIR LINES LTD
File# 01NJA24669888
Origin/Dest JFK TIV

INTERGLOBAL FORWARDING SERVICE INC
1A COLONY ROAD
JERSEY CITY NJ 07305
22-2443386
Tel: 2018588560
Fax: 2013391762

ORG	DES	Forwarders Waybill	File #	Pieces	Kilos	Cbm	Commodity Description
JFK	TIV	172302	01NJA24669887	2 PCS	553.3	1.762	UN0454 IGNITERS CLASS 1.4S, P/I:142 EX2019042000 OVERPACK USED CARGO AIRCRAFT ONLY HS#3603.50 AES X20240110549925
NO. OF HOUSE BILLS				1	GRAND TOTAL:		
				2	553.37	1.762	

SHIPPER'S DECLARATION FOR DANGEROUS GOODS

(Provide at least two copies to the airline)

Shipper OG TECHNOLOGIES INC. 115W 18th ST NEW YORK, NY 10011 USA	Air Waybill No. 700-7412-9344 Page 1 of 1 Pages Shipper's Reference Number 50584 / E002860 <i>(optional)</i>
---	---


Consignee GOVERNMENT OF ISRAEL MINISTRY OF DEFENSE MISRAD HABITACHON HAKIRYA, KAPLAN ST TEL-AVIV, ISRAEL	 powered by ShipHazmat.NET
--	---

Two completed and signed copies of this Declaration must be handed to the operator		WARNING Failure to comply in all respects with the applicable Dangerous Goods Regulations may be in breach of the applicable law, subject to legal penalties.					
TRANSPORT DETAILS This shipment is within the limitations prescribed for <i>(delete non-applicable)</i>							
<table border="1"> <tr> <td>XXXXXX</td> <td>CARGO</td> </tr> <tr> <td>XXXXXX</td> <td>AIRCRAFT</td> </tr> <tr> <td>XXXXXX</td> <td>ONLY</td> </tr> </table>	XXXXXX		CARGO	XXXXXX	AIRCRAFT	XXXXXX	ONLY
XXXXXX	CARGO						
XXXXXX	AIRCRAFT						
XXXXXX	ONLY						

Airport of Destination TEL-AVIV, ISRAEL	Shipment Type <i>(delete non-applicable)</i> NON-RADIOACTIVE XXXXXXXXXX
--	--

NATURE AND QUANTITY OF DANGEROUS GOODS						
Dangerous Goods Identification						
UN or ID No.	Proper Shipping Name	Class or Division (Subsidiary Hazard)	Pack-ing Group	Quantity and type of packing	Packing InsL	Authorization
UN0454	Igniters	1.4S		72 Steel boxes x 1.626 kg NEW = 0.037 kg Overpack used x 2 #50584-01, #50584-02 Total quantity per overpack 117.072 kg NEW = 2.664 kg	142	EX2019042000

Additional Handling Information
 24-Hour Emergency Contact Telephone Number: INT'L: +1-703-527-3887 / DOMESTIC: 1-800-424-9300
Chemtrec CCN206451 PDS FREIGHT
 144 (UN-4A) Steel boxes in all OVER-PACKED onto 2 SKIDS for handling purposes.
 Competent Authority Approval "EX2019042000" attached bases on request from Pyrotechnic Specialties Inc. of Byron, GA. (p/n BBU-35A/B (M-796))

I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labelled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. I declare that all of the applicable air transport requirements have been met.	Name of Signatory AL BEATRICE Date January 05, 2024 Signature <i>(see warning above)</i> 
---	--



U.S. Department
of Transportation

Pipeline and Hazardous
Materials Safety Administration

The US Department of Transportation
Competent Authority for the United States

East Building, PHH - 32
1200 New Jersey Avenue, Southeast
Washington, D.C. 20590

CLASSIFICATION OF EXPLOSIVES

Based upon a request by Pyrotechnic Specialties, Inc., 1661 Juniper Creek Rd., Byron, GA 31008-9412, US, the following items are classed in accordance with Section 173.56, Title 49, Code of Federal Regulations (49 CFR). A copy of your application, all supporting documentation and a copy of this approval must be retained and made available to DOT upon request.

An EX approval is non-transferable in any merger, acquisition, sale of assets, or other business transaction. For more information, please visit:
[<https://www.phmsa.dot.gov/registration/faq-mergers-acquisitions-and-legal-status-changes-pdf>]

U.N. PROPER SHIPPING NAME AND NUMBER:

Igniters, UN0454

U.N. CLASSIFICATION CODE: 1.4S

REFERENCE NUMBER:

EX2019042000

PRODUCT DESIGNATION/PART NUMBER:

P/N: BBU-35A/B (D/N: 7729436 Rev G)

NOTES: The following packaging method is assigned:

Inner Packaging - Tray, foam with preformed cells such as to contain no more than thirty (30) igniters in individual cells.

Intermediate Packaging - Bags, anti-static, each containing not more than two (2) inner packagings.

Outer Packaging - UN 4A steel box (e.g., M1A2 ammo-type), each containing not more than three (3) intermediate packagings.

DATED: May 29, 2019

for William Schoonover

Associate Administrator for Hazardous Materials Safety

SAFETY DATA SHEET 5115

DATE 3/21/17

SECTION 1 - COMPANY IDENTIFICATION

Product name: BBU-35A/B

Product: Cartridge, Impulse

Manufacturer: Pyrotechnic Specialties Inc.
1661 Juniper Creek Rd
Byron, GA 31008

Telephone: 478-956-5400
Fax: 478-956-5108
Emergency Phone #: 1-800-424-9300

SECTION 2 - HAZARD(S) IDENTIFICATION

Explosive Article, Division 1.4

WARNING! Fire or projection hazard



Precautionary Statements:

Prevention Keep away from heat-No smoking

Follow static-safe procedures

Wear safety glasses

Response In case of fire: Evacuate the area – Explosion risk in case of fire.

Do NOT fight fire when fire reaches explosives

Fight fire with normal precautions from a reasonable distance

Storage Do not subject to rough handling

Store in accordance with US BATFE or other applicable storage regulations

Disposal Dispose of unused or discharged cartridges in accordance with federal, state and local regulations.

Hazards not otherwise classified: None known

3. COMPOSITION/INFORMATION ON INGREDIENTS

This article contains one or more of the below listed chemicals regulated by OSHA. The description of the article pertains to the completed unit and the handling of such. These Chemicals are sealed inside of the article.

Component	CAS#	ACGIH TLV
Boron, Amorphous, Powder		
Potassium Perchlorate		
Viton, Fluor elastomer		
HMX		

4. FIRST AID MEASURES

Ingestion: Contact poison control center immediately

Eyes: Flush eyes with large amounts of water for at least 15 minutes, and call a physician.

Skin Contact: Wash affected area with soap and water.

Inhalation: Remove to fresh air, call a physician if needed.

Carcinogenicity: Contents do not include known carcinogens

5. FIREFIGHTING MEASURES

Flammable limits: None established. **Flash Point:** N/A

Extinguishing media: Not applicable. Ordinance devices are not extinguishable. They may be activated by a fire in surrounding packaging or combustibles.

Specific hazards from combustion: Class 1.4 Explosive Articles are a moderate fire hazard. Do not store with high explosives. Keep away from fire.

Special firefighting procedures: For DOT Class I Division 4 explosive devices in transportation incidents: Follow DOT Emergency Response Guidebook procedure #114. If fire reaches cargo DO NOT FIGHT FIRE! Evacuate all persons and responders 1500 feet in all directions. Move personnel from line-of-sight exposures and keep away from windows. For transportation or equipment fires, prevent fires from reaching cargo with water, CO₂, or dry chemical media as appropriate.

Warning!: Initiation of unit may result in fragmentation hazards along with release of smoke, fumes, flames and reactant gases considered toxic and irritating.

6. ACCIDENTAL RELEASE MEASURES

Steps to be taken in case material is released or spilled: Follow appropriate facility emergency response plans. Give first aid appropriate to injury. Dry powder is static-sensitive, and may ignite. Use only non-sparking tools and containers, avoid sources of static electricity or sparks.

Undamaged (sealed) cartridges may be carefully collected. Procedure for damaged cartridges, where release of explosive contents may occur: spray open cartridges and spill residue with water, lightweight oil, or alcohol, and keep wet at all times.

7. HANDLING AND STORAGE

Keep away from all sources of ignition, combustibles, flammables and oxidizers. Store at room temperature. Cartridge contains material classified as an explosive by DOT.

Other Precautions: Never apply voltage to center contact pin unless cartridge is properly loaded into discharge device. Do not attempt to disassemble, machine, or otherwise modify sealed cartridges or serious physical injury may occur.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guideline: Use ESD-safe work practices. Safe cartridge handling and storage activities will not result in release of chemicals from hermetically sealed cartridges.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Cylinder with flange, approximately 1" diameter x ¾" tall. Cartridge may be silver-or gold-colored. Chemical exposure is not anticipated under normal handling conditions.

Physical Properties: N/A. Manufactured article, hermetically sealed.

10. STABILITY AND REACTIVITY

Reactivity: Stable.

Chemical stability: Stable under specified use and storage conditions.

Hazardous Polymerization: Will not occur.

Hazardous Decomposition: None

Incompatibility: Do not store with flammable liquids. Avoid oxidizing agents, strong acids or bases.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Carcinogenicity: Cartridge does not contain known carcinogenic materials.

Toxicity: Cartridge does not contain known toxic components.

12. ECOLOGICAL INFORMATION*

Waste cartridges (sealed, not discharged) are classified as a reactive hazardous waste. (US EPA Waste code D001).

13. DISPOSAL CONSIDERATIONS*

Waste Disposal: Wear static-control wrist strap during cleaning of any spill containing explosive powder released from damaged cartridges. Dispose of excess cartridges, spent cartridges, and materials generated by discharge of cartridges in accordance with applicable federal, state, and local regulations.

Avoid sources of static electricity or sparks.

14. TRANSPORT INFORMATION*

UN number: UN0454

Proper shipping name: IGNITERS

Transport hazard class: 1.4S

Environmental hazards (e.g., Marine pollutant): NA

15. REGULATORY INFORMATION*

Compliance with DOT 27 CFR parts 55 and 181 (Explosives permitting and storage) applies.

DOT 49 CFR parts 171 and 172:

For government contracts, compliance with the DOD Ammunition and Explosives Safety Standards 4145.26M and 5154.4S is advised.

Local explosive ordinances may also apply.

Dangerous Goods Regulations (IATA): does apply.

This product does not contain reportable chemicals as listed in EPA Regulation SARA Title III section 311/312, or toxic chemicals listed under Section 313.

16. OTHER INFORMATION

The information contained herein relates only to the environmental health and safety precautions for the product and is not intended to be relied upon as technical specifications or other purposes. Do not use the ingredient and or ingredient percentages in this MSDS as a product specification. For product specification, refer to a Certificate of Analysis provided by or requested from PSI.

This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process. This information is intended only as a guide to the appropriate precautionary handling of the product by a properly trained person. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. Conditions of use are beyond the control of PSI. Users are responsible to verify the applicability of this information under their own operating conditions to determine whether the product is suitable for a particular purpose and assume all risks of use, handling, and disposal of the product, or from the publication, reliance upon or other use of the information contained herein.

The information contained in this MSDS was compiled using the latest and most reliable information available to Pyrotechnic Specialties, Inc. The information is provided without any warranty, express or implied regarding its correctness or accuracy nor will Pyrotechnic Specialties Inc. assume any liability for any loss or damage arising out of the use of this information including without limitation direct or indirect losses or expenses. To the extent permitted by law, no warranty express or implied regarding the product described herein shall be created by or inferred from any statement or omission from this MSDS. It is solely the responsibility of the user to determine safe conditions for use of this product and to assume liability for any loss, damage or expense whatsoever arising out of the product's improper use.

*Note: Since other Agencies regulate this information, OSHA will not be enforcing Sections 12 through 15 (29CFR 1910.1200(g) (2)).

INVOICE



No. : 002936 Pg: 1

Bill To :		Sold To : Account No. [GOI NY]	
GOI MOD MISSION TO THE US 800 SECOND AVE 11TH FL NYC, NY 10017		Attn: MORAN PERRY GOI MOD MISSION TO THE US 800 SECOND AVE 11TH FL NYC, NY 10017 Tel. : 212- 5510387	
Shipped To :		Remit Payment To :	
GOI / MOD C/O G&B PACKING COMPANY, INC. 1A Colony Road Jersey City, NJ 07305		OG TECHNOLOGIES INC. 115W 18ST NEW YORK, NY 10011 USA	
S.O. No. : 002296	Our Ref : PO1974	Domestic AWB :	
Customer P.O. : 4440800847	Your Ref :	Int'l AWB :	
Invoice Date : Nov-16-2023	Project : M-796 IC	Origin :	
Due Date : Dec-16-2023	Contract :	Transport :	
Ship Via :	Lic No. :	Nationality :	
F.O.B. : ORIGIN	Expires :	Trip/Flight :	
Shipped Date : Nov-16-2023	Terms : NET 30		
Our Contact : TAMMY PINCHUK eMail: tammy@ogtech.biz			

Line	P/N & Description	Crd	Qty Ordered	Shipped	Unit Price	Amount
1	22777-0002XM796 Our P/N : M-796 IMPULSE CARTRIDGE NSN: 1374010496365 IDF#: 17-635915002 POLINE 060 LOT #29 RELEASE #E002860 HAZMAT CLASS 1.4S UN#04540 USML Xic17 SCHEDULE B# 3603-50-0000 EXPORT LICENSE # 050740393 OG Technologies Inc. acknowledges that U.S. Government funds are being used by the Government of Israel to finance this purchase and certifies that the invoice	FN	160,000 EA	25,920		

Continued on next page...



115W 18ST.
 INFO@OGTECH.BIZ

Tel: 212-993-6293
 DOD CAGE CODE 5SYQ2

INVOICE



Our Ref : PO1974

Project : M-796 IC

Sales Invoice No. 002936 / Page : 2

Line	P/N & Description	Cnd	Qty Ordered	Shipped	Unit Price	Amount
	submitted with respect thereto is free from any material and do not omit any material facts.	false	statement or misrepresentation			
	EFT INFORMATION: Financial Institution: JPMORGAN CHASE BANK ABA Routing Number: 021000021 Account Number: 792761637 Account Type: Checking Name on Account: OG Technologies Inc.					
					Sub Total:	
					Total:	[USD]

PACKING SLIP



No. 002594

Pg: 1

Ship To : [2]		For : Account No. [GOI NY]	
GOI / MOD C/O G&B PACKING COMPANY, INC. 1A Colony Road Jersey City, NJ 07305		Attn: MORAN PERRY GOI MOD MISSION TO THE US 800 SECOND AVE 11TH FL NYC, NY 10017 Tel. : 212- 5510387	
S.O. No. : 002296	Our Ref : PO1974	Domestic AWB :	
Cust P.O. : 4440800847	Your Ref :	Int'l AWB :	
Picked On : Nov-16-2023	Project : M-796 IC	Origin :	
Shipped On : Nov-16-2023	Contract :	Transport :	
Ship Via :	Lic No. :	Nationality :	
F.O.B. : ORIGIN	Expires :	Trip/Flight :	
Terms : NET 30			
Our Contact : TAMMY PINCHUK eMail : tammy@ogtech.biz			

Line	P/N & Description	Cnd	Order	Q. Ship	Back Order	Packaging
1	22777-0002XM796 Our P/N : M-796 IMPULSE CARTRIDGE NSN: 1374010496365 IDF#: 17-635915002 PO LINE 060 LOT 29 RELEASE#E002860 2 pallets 40" x 48" x 28" ht. Gross wt. 584 lbs. Net wt. 52.99 lbs. NEW 1.22 lbs. HAZMAT CLASS 1.4S UN#0454 USML Xlc17	FN	160,000	25,920 EA	72,476	

Picked By : _____
 TAMMY PINCHUK

Pyrotechnic Specialties, Inc

1661 Juniper Creek Rd- Byron, GA 31008
U.S.A.



Part Name: C7961C Impulse Cartridge
NSN 1377-01-642-1574
Lot No.: PSI23KL01-036
Ship Qty: 25,920 each

PSI W/O: 3142
PO #: 001974
Date of Manufacture: October 2023

Purchaser: O. G. Technologies, Inc.
115w 18th St.
NYC, NY 10011

Product certification statement:

PSI certifies that the items in this lot have been inspected and tested and meet the requirements of the above-named Purchase Order.

Ballistic test data is included as part of this certification

Lanaeous Walker
Lanaeous Walker, Quality System Administrator

12-18-23
Date of Certification

