

700|JFK|74141686



700-74141686

Shipper's Name and Address DHL GLOBAL FORWARDING BUILDING 89 JFK INTERNATIONAL AIRPORT JAMAICA NY 11430 US TE +17182443030 Donna Scro		Shipper's Account Number		Not Negotiable Air Waybill Issued by CHALLENGE AIRLINES (IL) LTD 1 HAYARDEN STREET 46722, AIRPORT CITY, ISRAEL												
Consignee's Name and Address DHL GLOBAL FORWARDING ISRAEL LTD SUITE 807 MAMAN BLDG BEN GURION AIRPORT TEL AVIV 52522 IL TE +97239719000 VAT 513046615		Consignee's Account Number		Copies 1, 2 and 3 of this Air Waybill are originals and have the same validity It is agreed that the goods described herein are accepted in apparent good order and condition (except as noted) for carriage SUBJECT TO THE CONDITIONS OF CONTRACT ON THE REVERSE HEREOF. ALL GOODS MAY BE CARRIED BY ANY OTHER MEANS INCLUDING ROAD OR ANY OTHER CARRIER UNLESS SPECIFIC CONTRARY INSTRUCTIONS ARE GIVEN HEREON BY THE SHIPPER, AND SHIPPER AGREES THAT THE SHIPMENT MAY BE CARRIED VIA INTERMEDIATE STOPPING PLACES WHICH THE CARRIER DEEMS APPROPRIATE. THE SHIPPER'S ATTENTION IS DRAWN TO THE NOTICE CONCERNING CARRIER'S LIMITATION OF LIABILITY. Shipper may increase such limitation of liability by declaring a higher value for carriage and paying a supplemental charge if required.												
Issuing Carrier's Agent Name and City DHL GLOBAL FORWARDING NEW YORK		Accounting Information														
Agent's IATA Code 33-5 1595/0042		Account No.														
Airport of Departure (Addr. of First Carrier) and Requested Routing JOHN F. KENNEDY APT/NEW YORK		Reference Number C2400523997		Optional Shipping Information												
To	By First Carrier	Routing and Destination	to	by	to	by	Currency	CHGS Code	WT/VAL	PPH	CCS	COB	COE	Declared Value for Carriage	Declared Value for Customs	
TLV		5C					USD	PP	X					NVD	NCV	
Airport of Destination TEL AVIV-YAFO		Requested Flight/Date 5C942/07 /		Amount of Insurance XXX		INSURANCE: If Carrier offers insurance, and such insurance is requested in accordance with the conditions thereof, indicate amount to be insured in figures in box marked "amount of insurance"										
Handling Information US/RA/CW10043043 ** DANGEROUS GOODS AS PER ASSOCIATED SHIPPER'S DECLARATION//CARGO AIRCRAFT ONLY ***															ITN X20240314193556	
															SCI	
No. of Pieces RCP	Gross Weight	kg	Rate Class	Commodity Item No.	Chargeable Weight	Rate	Charge	Nature and Quantity of Goods (incl. Dimensions or Volume)								
1	3.2	K	N		100.0	5.40	540.00	L0002373763 UN 0276 CLASS 1.4C CARTRIDGES, POWER DEVICE EX-9702028 HB-8RN4917 HS Code 8803200010 1 SLAC								
1	3.2						540.00									
Prepaid		Weight Charge		Collect		Other Charges										
540.00						MBC AIRLINE AIRFREIGHT SURCHARGE 0.01										
		Valuation Charge				MYC FUEL SURCHARGE 1.95										
						RAC DANGEROUS GOODS SURCHARGE 100.00										
		Tax														
		Total Other Charges Due Agent				Shipper certifies that the particulars on the face hereof are correct and that insofar as any part of the consignment contains dangerous goods, such part is properly described by name and is in proper condition for carriage by air according to the applicable Dangerous Goods Regulations										
		Total Other Charges Due Carrier				AS AGENT										
		101.96				MARTHA ROMERO										
		Total Prepaid		Total Collect		Signature of Shipper or his Agent										
		641.96				AS AGENT OF CHALLENGE AIRLINES (IL) LTD										
Currency Conversion Rates		CG Charges in Dest. Currency				JAMAICA										
						DHL GLOBAL FORWARDING										
						Signature of Issuing Carrier or its Agent										
For Carrier's use only at Destination		Charges at Destination		Total Collect Charges		700-74141686										

DRAFT - DRAFT - DRAFT - DRAFT

Laser Air Wave®!

CONSOL	C2400523997
CONTAINER	
CARRIER B/L	70074141686
PRINT DATE	14-Mar-24 10:06



^CON=C2400523997,MAN,|

Air Freight List

DESTINATION: T

CONSOL DETAILS

Flight / Date	Freight Terms	Customs Entry Number	Carrier	Load	Disch.
5C942 / 07-Apr	PPD	ITN X20240314193556	C A L CARGO AIRLINES LTD	JFK	TLV

SHIPMENT DETAILS

Shipper	Consignee	ORIG - DEST	HAWB	Goods Description	Custom Status	Packs	D (1)
KIDDIE AEROSPACE & DEFENSE 4200 AIRPORT DRIVE 27896 WILSON US Known Customer	ISRAEL AEROSPACE INDUSTRIES LTD BEN GURION AIRPORT 70100 TEL AVIV IL	JFK - TLV	8RN4917	UN 0276 CLASS 1 4C CARTRIDGES, POWER DEVICE SLAC 1 PCE CARTRIGE ITN X20240314193556 NAR SED Attached		1 CBX 1 CBX	1

Total Shipments:	1	Total Packs:	1 PKG	Total Inner Packs:	1 PCE	Total Weight:	3.2 KG
------------------	---	--------------	-------	--------------------	-------	---------------	--------

DHL Global Forwarding

BUILDING 89 JFK INTERNATIONAL AIRPORT
11430 JAMAICA
Tel: +01 718 2443000
CREST CODE: MUS410

All business is undertaken subject to the current Standard Trading Terms and Conditions of conditions will be supplied on request or can be found at

<https://www.dhl.com/us-en/home/couriers/conditions/global-forwarding-us>



HAWB No.: 8RN4917

Shipper's Name and Address KIDDIE AEROSPACE & DEFENSE 4200 AIRPORT DRIVE WILSON NC 27896 US TE +12522467086		Shipper's Account Number USKIA003		Not Negotiable House Air Waybill Issued by DHL GLOBAL FORWARDING BUILDING 88 JFK INTERNATIONAL AIRPORT AREA CARGO - C JAMAICA NY 11430 UNITED STATES Station Code JFK	
Consignee's Name and Address ISRAEL AEROSPACE INDUSTRIES LTD BEN GURION AIRPORT TEL AVIV TA 70100 IL TE +97239357551 VAT 520027194		Consignee's Account Number ILIAI005		<small>It is agreed that the goods described herein are accepted for carriage in apparent good order and condition (except as noted) and SUBJECT TO THE CONDITIONS OF CONTRACT ATTACHED TO THIS AIR WAYBILL AND/OR ACCESSIBLE ON https://www.dhl.com/content/dam/dhl/global-forwarding/documents/dgt/dgt-hawb-terms.pdf ALL GOODS MAY BE CARRIED BY ANY OTHER MEANS INCLUDING ROAD, RAIL, WATER, AIR OR ANY OTHER MODE UNLESS SPECIFIC CONTRARY INSTRUCTIONS ARE GIVEN HEREON BY THE SHIPPER, AND SHIPPER AGREES THAT THE SHIPMENT MAY BE CARRIED VIA INTERMEDIATE STOPPING PLACES WHICH THE CARRIER DEEMS APPROPRIATE. THE SHIPPER'S ATTENTION IS DRAWN TO THE NOTICE CONCERNING CARRIER'S LIMITATION OF LIABILITY. Shipper may increase such limitation of liability by declaring a higher value for carriage and paying a supplemental charge if required.</small>	
Notify		Currency USD		Declared Value for Carriage NVD	Declared Value for Customs [REDACTED]
				Amount of Insurance XXX	
Origin Station JOHN F. KENNEDY APT/NEW YORK		Destination Station TEL AVIV-YAFO		Insurance - If Carrier offers insurance, and such insurance is requested in accordance with the conditions thereof, indicate amount to be insured in figures in box marked "amount of insurance"	
Reference Number(s) S 1Z2032150351506275, AA11		Flight 1 / date / via		Flight 2 / date / via	
		Flight 3 / date / via			
		Handling Information AA11			
				ITN X20240314193556	
				SCI	
No. Of Pieces RCP	Gross Weight	kg	Rate Class	Chargeable	Rate Charge
1	3.2	K	N	6.5	As Agreed
1	3.2				As Agreed
Prepaid Freight Charges As Agreed		Collect Freight Charges As Agreed		Other Charges Breakdown As Agreed	
Valuation Charges As Agreed		Valuation Charges As Agreed			
Tax As Agreed		Tax As Agreed			
Total Other Charges Due Agent As Agreed		Total Other Charges Due Agent As Agreed			
Total Other Charges Due Carrier As Agreed		Total Other Charges Due Carrier As Agreed			
Total Prepaid As Agreed		Total Collect As Agreed			
				22-Feb-24 JAMAICA DHL GLOBAL FORWARDING	
				Signature of Issuing Carrier or its Agent	
				Shipper certifies that the particulars on the face hereof are correct and that insofar as any part of the consignment contains dangerous goods, such part is properly described by name and is in proper condition for carriage by air according to the applicable Dangerous Goods Regulations	
				AS AGENT FOR THE SHIPPER AND IN CAPACITY AS CONTRACTING CARRIER	
				MARTHA ROMERO	
				Signature of Shipper or its Agent	

DHL Global Forwarding – Excellence. Simply Delivered.

As Agreed - THIS IS NOT AN INVOICE

HAWB NO.: 8RN4917

COMMERCIAL INVOICE
Kidde Technologies Inc.

Fire Protection
4200 Airport Drive, NW
Wilson, NC 27896-8630

11249580

Shipment/Commercial Invoice #

12-FEB-2024



Ship To 70188 ISRAEL AIRCRAFT LTD BEN GURION INTL ARPRT ACCTS PAYABLE DEPT 4003 70100 LOD ISRAEL		Sold To 70188 ISRAEL AIRCRAFT LTD BEN GURION INTL ARPRT ACCTS PAYABLE DEPT 4003 70100 LOD ISRAEL		Freight Forwarder AB44 DHL GLOBAL FORWARD JFK INTL ARPT BLDG 85 JAMAICA NY 11430-160
Waybill # 1z2032150351506275		Intermediate Consignee		Ultimate Consignee/End ISRAEL AEROSPACE IN (IAI) BEN GURION INTERNA 70100 TEL AVIV ISRAEL
Incoterms EXW Factory				
Carrier UPSGRD	Payment Terms Net 60 Days	Package Qty 1	Export Reg.No. FPPI U.S FF required to file EEI	

Package ID #: 1024671379		Dimensions: 13x13x13 IN				Gross Weight: 7 000 LB		
Line 10	Material 446582-1 Customer Material 446582-1 Description CARTRIDGE,POWER DEVICE/1AMP/1W	Export Control #: 1C992 d License: NLR H.S. Code: 8424900500 <small>These items are controlled by the U.S. government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. government or as otherwise authorized by U.S. law and regulations.</small>	Qty 5	UoM EA	Unit Value [REDACTED]	Ext Value [REDACTED]	CoO US	
Line 20	Material 446582-3 Customer Material 446582-3 Description CARTRIDGE,POWER DEVICE/1AMP/1W	Export Control #: 1C992 d License: NLR H.S. Code: 8424900500 <small>These items are controlled by the U.S. government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. government or as otherwise authorized by U.S. law and regulations.</small>	Qty 10	UoM EA	Unit Value [REDACTED]	Ext Value [REDACTED]	CoO US	

00N4977



L000237373

1Z20321503515 06275

TOTAL Value

Hazardous Materials Warning: Before you work with any component, assembly or product referred to in this document, read, understand and obey all safety instructions and take all appropriate safety precautions. These instructions include instructions from the manufacturer, the material safety data sheet (MSDS), the component maintenance manual, service information letters, all operators letters, and government regulations. An MSDS gives instructions on how you must safely use, keep and discard chemicals. Chemicals may cause injuries to you or make you sick. Personal injury or disease may result if safety instructions are not obeyed.

All values are for customs purposes only.

Signature: Larry Bryant
Name: Larry Bryant

Form # SAP-1077-1

SHIPPER'S DECLARATION FOR DANGEROUS GOODS

(Provide at least three copies to the airline.)

Shipper KIDDE TECHNOLOGIES INC 4200 AIRPORT DRIVE NW WILSON NC 27896 US 252-246-7126 USA		Air Waybill No. Page 1 of 1 Pages Shipper's Reference Number 11249580		
Consignee ISRAEL AIRCRAFT LTD BEN GURION INTL ARPT ACCTS PAYABLE DEPT 4003 70100 LOD ISRAEL				
<i>Two completed and signed copies of this Declaration must be handed to the operator</i>		WARNING Failure to comply with all respects with the applicable Dangerous Goods Regulations may be in breach of the applicable law, subject to legal penalties.		
TRANSPORT DETAILS				
This shipment is within the limitations prescribed for (delete non applicable) <table border="1"><tr><td><input checked="" type="checkbox"/> PASSENGER AND CARGO AIRCRAFT</td><td><input type="checkbox"/> CARGO AIRCRAFT ONLY</td></tr></table>	<input checked="" type="checkbox"/> PASSENGER AND CARGO AIRCRAFT	<input type="checkbox"/> CARGO AIRCRAFT ONLY	Airport of Departure Airport of Destination	
<input checked="" type="checkbox"/> PASSENGER AND CARGO AIRCRAFT	<input type="checkbox"/> CARGO AIRCRAFT ONLY			
		Shipment type. (delete non-applicable) <table border="1"><tr><td><input type="checkbox"/> NON-RADIOACTIVE</td><td><input checked="" type="checkbox"/> RADIOACTIVE</td></tr></table>	<input type="checkbox"/> NON-RADIOACTIVE	<input checked="" type="checkbox"/> RADIOACTIVE
<input type="checkbox"/> NON-RADIOACTIVE	<input checked="" type="checkbox"/> RADIOACTIVE			
NATURE AND QUANTITY OF DANGEROUS GOODS <i>UN Number or Identification Number, proper shipping name, Class or Division (subsidiary risk), packing group (if required), and all other required information</i> UN0276, CARTRIDGES, POWER DEVICE, 1.4C// 1 (4G) FIBREBOARD BOX X 2 kg, N E.W. 11 g//134 EX-9702028 attached				
Additional Handling Information Packaged per IATA/ICAO regulations 24 Hr Emergency Contact 3E Company Tel 0017604763959 Code 334509				
I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labelled/placarded, and are in all respects in proper condition for transport according to applicable International and National Governmental Regulations. I declare that all of the applicable air transport requirements have been met.		Name/Title of Signatory LARRY BRYANT/LEAD SHIPPING CLERK Place and Date Wilson, NC 27896 US 02/12/2024 Signature (see warning above) 		



U.S. Department
of Transportation

Research and
Special Programs
Administration

The US Department of Transportation
Competent Authority for the United States

400 Seventh Street, S.W.
Washington, D.C. 20590

CLASSIFICATION OF EXPLOSIVES

Based upon a request by A.L. Freeman on behalf of Walter Kidde Aerospace, Inc., 4200 Airport Drive N.W., Wilson, North Carolina, the following items are classed in accordance with Section 173.56, Title 49, Code of Federal Regulations (49 CFR).

U.N. PROPER SHIPPING NAME AND NUMBER: Cartridges, power device, UN0276


U.N. CLASSIFICATION CODE: 1.4C


<u>REFERENCE NUMBER</u>	<u>PRODUCT DESIGNATION/PART NUMBER</u>
-------------------------	--

EX-9702028

P/N 446582-1, P/N 446582-2, P/N 446582-3

Approved by:



 Alan I. Roberts
Associate Administrator
for Hazardous Materials Safety

FEB 26 1997

(DATE)



1. IDENTIFICATION

Product Name

Actuating Cartridge, Power Device

Part Numbers

Small cup designs 262299-1, 262299-2, 446090-2, 446090-3, 446138, 446139, 446161, 446161-1, 446189-1, 446384, 446384-1, 446384-2, 446479, 446518-1, 446582-1, 446582-2, 446582-3, 446596, 446616, 446617, 446665, 446705, 446736, 446738, 446754, 446806, 446842 446842-1, 446850, 446924, 446963, 447408, 474351, 475031, 475198-1, 876296-3, 876561-3, 878492, 878492-1, 878492-2, 878493, 878493-1, 878493-2, 878562-2, 878563-2, A805300-12

Recommended use of the chemical and restrictions on use**Identified uses**

Fire Extinguisher Actuator

Restrictions on use

Not user serviceable. Do not attempt disassembling

Company Identification

UTC Aerospace Systems

4200 Airport Drive, NW

Wilson, NC 27896

(253) 237-7004

Customer Information Number**Emergency Telephone Number****3E Company**

1-800-451-8386 Site Code: 33067

Issue Date

July 28, 2015

Supersedes Date

July 9, 2013 Rev. A

Safety Data Sheet prepared in accordance with OSHA's Hazard Communication Standard (29 CFR 1910.1200) and the Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

2. HAZARD IDENTIFICATION

Hazard Classification

Explosives – Division 1.4

Label Elements**Hazard Symbols**

Signal Word: Warning

Hazard Statements

Fire or projection hazard

Precautionary Statements**Prevention**

Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

Ground/bond container and receiving equipment.

Do not subject to grinding/shock/friction

Wear face protection.



2. HAZARD IDENTIFICATION

Response

In case of fire: Evacuate area.

Explosion risk in case of fire.

Do NOT fight fire when fire reaches explosives.

Fight fire with normal precautions from a reasonable distance.

Storage

Store in accordance with local regulations.

Disposal

Dispose of contents/container in accordance with local regulation.

Other Hazards

None identified.

3. COMPOSITION/INFORMATION ON INGREDIENTS

This product is a mixture contained in a sealed device

Component	CAS Number	Concentration
Lead Azide	13424-46-9	65 - 75%
Hexanitrostilbene	20062-22-0	10 - 20%
Zirconium	7440-67-7	5 - 15%
Potassium Perchlorate	7778-74-7	1 - 10%
Fluoropolymer binder	9011-17-0	0.1 - 1.0%
Graphite	7782-42-5	0.1 - 1.0%

Note: Material content is less than 0.72 grams per unit in a hermetically sealed capsule.

4. FIRST-AID MEASURES

Description of necessary first-aid measures

Eyes

No specific treatment is required as exposure is unlikely under normal conditions of use

Skin

No specific treatment is required as exposure is unlikely under normal conditions of use

Ingestion

No specific treatment is required as exposure is unlikely under normal conditions of use.

Inhalation

No specific treatment is required as exposure is unlikely under normal conditions of use

Most important symptoms/effects, acute and delayed

Aside from the information found under Description of necessary first aid measures (above) and Indication of immediate medical attention and special treatment needed, no additional symptoms and effects are anticipated

Indication of immediate medical attention and special treatment needed

Notes to Physicians

Treat symptomatically



5. FIRE - FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing agent appropriate to other materials involved. Keep containers and surroundings cool with water spray as containers may explode in the heat of a fire

Specific hazards arising from the chemical

Do not fight fires involving explosives. Product may explode. Evacuate the area and allow to burn or fight fire remotely. May release toxic fumes during a fire.

Special Protective Actions for Fire-Fighters

Wear full protective clothing and self-contained breathing apparatus as appropriate for specific fire conditions.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

If devices are spilled from their shipping or storage container and are damaged, cordon off the area until the situation has been properly assessed. Wear appropriate protective clothing to shield from accidental detonation.

Environmental Precautions

None

Methods and materials for containment and cleaning up

Recover the devices by hand and inspect in a shielded area before repacking. Dispose of damaged detonators as described in Section 13. Suspect or damaged articles should be labeled and consigned for correct destruction.

7. HANDLING AND STORAGE

Precautions for safe handling

Wear appropriate protective clothing. Devices should be stored in the packaging supplied until required for use. Follow industry guidelines for handling explosives. Uninstalled actuators should only be handled by personnel trained to handle explosive devices. Static grounding is recommended when handling unshunted devices.

Conditions for safe storage

Keep away from friction, impact, heat, flame, radio transmitters, electric storms and electric currents, including those caused by static electricity. Store in original packaging in dry area at 50 to 85 °F (10 to 30°C). Keep away from other explosives. Do not disassemble detonators as this may cause them to explode.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure limits are listed below, if they exist

Lead Azide, as Pb

ACGIH: TLV 0.05 mg/m³ 8h TWA

OSHA: PEL 0.05 mg/m³ 8h TWA

Zirconium and Compounds as Zr

ACGIH: TLV 5 mg/m³ 8h TWA, 10 mg/m³ 10-min STEL

OSHA: PEL 5 mg/m³ 8h TWA



8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Graphite

ACGIH TLV 2 mg/m³ 8h TWA

OSHA PEL 15 mg/m³ 8h TWA, total dust

5 mg/m³ TWA, respirable fraction

Appropriate engineering controls

Work with device in a shielded area. Static grounding is recommended when handling unshunted devices

Individual protection measures

Respiratory Protection

Not normally required.

Skin Protection

Cotton gloves.

Eye/Face Protection

Chemical goggles or safety glasses with side shields

Body Protection

Cotton clothing and conductive-soled shoes

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical State Solid

Color N/A

Odor None

Odor Threshold Not applicable

pH Not applicable

Specific Gravity Not applicable

Boiling Range/Point (°C/F) Not applicable

Melting Point (°C/F) Not applicable

Flash Point (PMCC) (°C/F) Not applicable

Vapor Pressure Not applicable

Evaporation Rate (BuAc=1) Not applicable

Solubility in Water Not applicable

Vapor Density (Air = 1) Not applicable

VOC (g/l) Not applicable

VOC (%) Not applicable

Partition coefficient (n-octanol/water) Not applicable

Viscosity Not applicable

Auto-ignition Temperature 480°F

Decomposition Temperature No data available

Upper explosive limit Not applicable

Lower explosive limit Not applicable

Flammability (solid, gas) No data available

10. STABILITY AND REACTIVITY

Reactivity

No data available



10. STABILITY AND REACTIVITY

Chemical Stability

Actuators are stable under normal conditions of operation.

Possibility of hazardous reactions

Hazardous polymerization will not occur

Conditions to Avoid

Exposure to low level electric current - impact - heat- static - shock - radio frequency (RF) energy

Incompatible Materials

Corrosive materials - copper tools - materials that can build up an electrostatic charge

Hazardous Decomposition Products

Oxides of carbon – lead compounds – zirconium compounds – potassium compounds

11. TOXICOLOGICAL INFORMATION

The chemicals contained in the actuator are hermetically sealed and pose no hazard under normal conditions of operation and storage. The information below is applicable only if the device ruptures before use.

Acute Toxicity

No relevant studies identified.

Specific Target Organ Toxicity (STOT) – single exposure

No relevant studies identified.

Specific Target Organ Toxicity (STOT) – repeat exposure

Lead Azide: May cause damage to organs through prolonged or repeated exposure. (route of exposure: inhalation)

Serious Eye damage/Irritation

No relevant studies identified

Skin Corrosion/Irritation

No relevant studies identified

Respiratory or Skin Sensitization

No relevant studies identified.

Carcinogenicity

Lead Azide: IARC 2A : Probably carcinogenic to humans, NTP. Anticipated Carcinogen

Germ Cell Mutagenicity

No relevant studies identified.

Reproductive Toxicity

Lead Azide: May damage fertility or the unborn child (route of exposure: oral)

Aspiration Hazard

Not an aspiration hazard



12. ECOLOGICAL INFORMATION

Ecotoxicity

Devices are sealed and present no ecological hazard to the environment.

Mobility in soil

No relevant studies identified.

Persistence/Degradability

No relevant studies identified.

Bioaccumulative Potential

No relevant studies identified

Other adverse effects

No relevant studies identified

13. DISPOSAL CONSIDERATIONS

Disposal Methods

This material should be disposed of by a competent body familiar with explosive materials in accordance with all applicable local and national regulations. Ensure packaging is free of explosive material prior to disposal.

14. TRANSPORT INFORMATION

DOT CFR 172.101 Data	Cartridges, Power Device, (1 4S) UN0323, PGII
UN Proper Shipping Name	Cartridges, Power Device
UN Class	(1.4S)
UN Number	UN0323
UN Packaging Group	II
Classification for AIR Transportation (IATA)	Consult current IATA Regulations prior to shipping by air.
OR:	
DOT CFR 172.101 Data	Cartridges, Power Device, (1.4C) UN0276, PGII
UN Proper Shipping Name	Cartridges, Power Device
UN Class	(1.4C)
UN Number	UN0276
UN Packaging Group	II
Classification for AIR Transportation (IATA)	Consult current IATA Regulations prior to shipping by air.

Additional Information: This material may be shipped under DOT Competent Authority permission issued to either Kidde Aerospace or the U. S. Department of Defense. See Kidde Aerospace website for full information on Kidde packaging procedures.

15. REGULATORY INFORMATION

United States TSCA Inventory

All components of this product are in compliance with the inventory listing requirements of the US Toxic Substance Control Act (TSCA) Chemical Substance Inventory.



15. REGULATORY INFORMATION

Canada DSL Inventory

All ingredients in this product have been verified for inclusion on the Domestic Substance List (DSL) or the Nondomestic Substance List

SARA Title III Sect. 311/312 Categorization

Pressure Hazard (Explosive)

SARA Title III Sect. 313

This product contains the following chemicals listed in Section 313 at or above de minimis concentrations:
Lead compounds

California Proposition 65

This product contains materials which the State of California has found to cause cancer, birth defects or other reproductive harm

16. OTHER INFORMATION

Legend

ACGIH: American Conference of Governmental Industrial Hygienists

CAS#: Chemical Abstracts Service Number

ECHA: European Chemicals Agency

EC50: Effect Concentration 50%

IARC: International Agency for Research on Cancer

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

N/A: Denotes no applicable information found or available

OSHA: Occupational Safety and Health Administration

PEL: Permissible Exposure Limit

STEL: Short Term Exposure Limit

TLV: Threshold Limit Value

TSCA: Toxic Substance Control Act

Revision Date: July 28, 2015

Replaces: July 9, 2013 Rev. A

Changes made: Updated to GHS Classification

Information Source and References

This SDS is prepared by Hazard Communication Specialists based on information provided by internal company references.

Prepared By: EnviroNet LLC

The information and recommendations presented in this SDS are based on sources believed to be accurate. UTC Aerospace Systems assumes no liability for the accuracy or completeness of this information. It is the user's responsibility to determine the suitability of the material for their particular purposes. In particular, we make NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, with respect to such information, and we assume no liability resulting from its use. Users should ensure that any use or disposal of the material is in accordance with applicable Federal, State, and local laws and regulations.