

Shmb &Explo (FOD Economie - SPF Economie)

Van: [REDACTED]@Challenge-Group.com>
Verzonden: donderdag, 11 april 2024 15:33
Aan: Shmb &Explo (FOD Economie - SPF Economie)
CC: [REDACTED]
Onderwerp: Fw: DG Booking to TLV // 700-74148944// HB-8RN6937// CLASS 1.4C
Bijlagen: 20240410084651.pdf

Categorieën: [REDACTED]


Bonjour Madame, Monsieur,

Je vous prie de trouver, en PJ, des documents concernant une demande d'autorisation de transport d'explosifs.

AWB 700-74148944.

Merci de bien vouloir nous accorder cette autorisation.

Bien à vous

 [REDACTED]
Customer Service Agent

Phone
Mobile
Email [REDACTED]@Challenge-Group.com



Challenge
Airlines 

Liege Airport- Building 26
Rue Saint Exupery, 26
4460 Grace-Hollogne
Belgium
www.cal-cargo.com

Challenge Group 

Challenge Accepted



WORLD AIR CARGO AWARDS 2024 

CARGO AIRLINE OF THE YEAR

VOTE FOR US!

Challenge
Group 

700|JFK|74148944



Shipper's Name and Address DHL GLOBAL FORWARDING BUILDING 89 JFK INTERNATIONAL AIRPORT JAMAICA NY 11430 US TE +17182443030 Donna Scro		Shipper's Account Number 		Not Negotiable Air Waybill Issued by CHALLENGE AIRLINES (IL) LTD 1 HAYARDEN STREET 46722, AIRPORT CITY, ISRAEL	
Consignee's Name and Address DHL GLOBAL FORWARDING ISRAEL LTD SUITE 807 MAMAN BLDG BEN GURION AIRPORT TEL AVIV 52522 IL TE +97239719000 VAT 513046615		Consignee's Account Number 		Copies 1, 2 and 3 of this Air Waybill are originals and have the same validity It is agreed that the goods described herein are accepted in apparent good order and condition (except as noted) for carriage SUBJECT TO THE CONDITIONS OF CONTRACT ON THE REVERSE HEREOF. ALL GOODS MAY BE CARRIED BY ANY OTHER MEANS INCLUDING ROAD OR ANY OTHER CARRIER UNLESS SPECIFIC CONTRARY INSTRUCTIONS ARE GIVEN HEREON BY THE SHIPPER, AND SHIPPER AGREES THAT THE SHIPMENT MAY BE CARRIED VIA INTERMEDIATE STOPPING PLACES WHICH THE CARRIER DEEMS APPROPRIATE. THE SHIPPER'S ATTENTION IS DRAWN TO THE NOTICE CONCERNING CARRIER'S LIMITATION OF LIABILITY. Shipper may increase such limitation of liability by declaring a higher value for carriage and paying a supplemental charge if required.	
Issuing Carrier's Agent Name and City DHL GLOBAL FORWARDING NEW YORK		Accounting Information 		Reference Number C2400730364	
Agent's IATA Code 33-5 1595/0042		Account No 		Original Shipping Information 	
Airport of Departure (Addr. of First Carrier) and Requested Routing JOHN F. KENNEDY APT/NEW YORK		Currency USD		Declared Value for Carriage NVD	
To TLV		By First Carrier 5C		Declared Value for Customs NCV	
Routing and Destination 5C		Amount of Insurance XXX		Insurance INSURANCE: If Carrier offers insurance, and such insurance is requested in accordance with the conditions thereof, indicate amount to be insured in figures in box marked "amount of insurance"	
Airport of Destination TEL AVIV-YAFO		Requested Flight/Date 5C542/15 /		Handling Information US/RA/CW10043043 ** DANGEROUS GOODS AS PER ASSOCIATED SHIPPER'S DECLARATION/CARGO AIRCRAFT ONLY ***	
ITN NOEEI \$30 37(A)		SCI		 	

No. Of Pieces RCP	Gross Weight	kg	Rate Class	Commodity Item No.	Chargeable Weight	Rate	Charge	Total	Nature and Quantity of Goods (incl. Dimensions or Volume)
1	23	K	K		100.0	5.40		540.00	L000237373 UN 0276 CLASS 1.4C CARTRIDGES, POWER DEVICE HB-8RN6937 HS Code 8803200010 1 SLAC
1	23							540.00	

Prepaid 540.00	Weight Charge 540.00	Collect
Valuation Charge 		
Tax 		
Total Other Charges Due Agent 		
Total Other Charges Due Carrier 134.01		
Total Prepaid 674.01		
Total Collect 		
Currency Conversion Rates 		
CC Charges in Dest. Currency 		
Charges at Destination 		
Total Collect Charges 		


Other Charges MBC AIRLINE AIRFREIGHT SURCHARGE MCC AIRLINE AIRFREIGHT SURCHARGE MYC FUEL SURCHARGE RAC DANGEROUS GOODS SURCHARGE	0.01 4.00 30.00 100.00	
Shipper certifies that the particulars on the face hereof are correct and that insofar as any part of the consignment contains dangerous goods, such part is properly described by name and is in proper condition for carriage by air according to the applicable Dangerous Goods Regulations.		
AS AGENT 		
MARTHA ROMERO Signature of Shipper or his Agent		
AS AGENT OF CHALLENGE AIRLINES (IL) LTD 09-Apr-24 Executed on (date)		
JAMAICA at (place)		
DHL GLOBAL FORWARDING Signature of Issuing Carrier or its Agent		

MARTHA ROMERO
700-74148944

DRAFT - DRAFT - DRAFT - DRAFT

Resolution 2000 of the Laser Air Waybill

CONSOL	C2400730364
CONTAINER	
CARRIER B/L	70074148944
PRINT DATE	09-Apr-24 16 14



^CON=C2400730364 MAN |



Air Freight List

DESTINATION: TLV

Page 1 of 1

CONSOL DETAILS

PRINTED BY Martha Romero

Flight / Date	Freight Terms	Customs Entry Number	Carrier	Load	Disch.	ETD	ETA
5C542 / 15-Apr	PPD	ITN NOEEI §30 37(A)	C A L CARGO AIRLINES LTD	JFK	TLV	15-Apr-24 15 34	15-Apr-24 15 34

SHIPMENT DETAILS

Shipper	Consignee	ORIG - DEST	HAWB	Goods Description	Custom Status	Packs	Dimension (L x W x H)	Weight Total
KIDDIE AEROSPACE & DEFENSE 4200 AIRPORT DRIVE 27896 WILSON US Known Customer	ISRAEL AEROSPACE INDUSTRIES LTD BEN GURION AIRPORT 70100 TEL AVIV IL	JFK - TLV	8RN6937	UN 0276 CLASS 1 4C CARTRODGES, POWER DEVICE SLAC 1 PCE CARTRIGE ITN NOEEI §30 37(A) LOW NO EEI §30.37(a)		1 CBX 1 CBX	 13x13x13 IN	2 3 KG 0 037 M3

Total Shipments:	1	Total Packs:	1 PKG	Total Inner Packs:	1 PCE	Total Weight:	2 3 KG	Total Volume:	0 037 M3
-------------------------	---	---------------------	-------	---------------------------	-------	----------------------	--------	----------------------	----------

DHL Global Forwarding

Excellence. Simply Delivered

BUILDING 89 JFK INTERNATIONAL AIRPORT
11430 JAMAICA
Tel +01 718 2443000
CREST CODE MUS410

All business is undertaken subject to the current Standard Trading Terms and Conditions of DHL Global Forwarding – A copy of the relevant terms and conditions will be supplied on request or can be found at

<https://www.dhl.com/us-en/home/our-divisions/global-forwarding/customer-service/terms-and-conditions.html>

SENSITIVE SECURITY INFORMATION



IAC CERTIFICATION - KNOWN SHIPPER

DATE 9 April 2024

PAGE 1 of 1

Air Express International USA Inc , dba DHL Global Forwarding is in compliance with its TSA-approved security program and all applicable security directives. Our number assigned by TSA is SE0412006. All cargo tendered in conjunction with this certification was either 1) accepted from a known shipper or an unknown shipper in accordance with TSA requirements specified in the Indirect Air Carrier Standard Security Program or 2) accepted under transfer from another aircraft operator, foreign air carrier, or IAC operating under a TSA-approved or accepted security program. The individual whose name appears below certifies that he or she is an employee or authorized representative of Air Express International USA Inc , dba DHL Global Forwarding and understands that any fraudulent or false statement made in connection with this certification may subject this individual and Air Express International USA Inc , dba DHL Global Forwarding to both (1) civil penalties under 49 CFR Part 1540.103(b) and (2) fines and/or imprisonment of not more than 5 years under 18 U.S.C. 1001.

Airline I D 5C

Airbill Number 70074148944

Number of items under 16 Ounces None

Signature of IAC/Authorized Representative:

Date: 09-Apr-24

MARTHA ROMERO

Print Name of IAC/Authorized Representative:

Martha Romero

Person Tendering:

Name of Authorized or IAC Tendering:

DHL Global Forwarding

Print Address/Phone of IAC/Authorized Representative:

BUILDING 89 JFK INTERNATIONAL AIRPORT AREA CARGO - C JAMAICA NY 11430

Phone +17182443000

(Provide at least three copies to the airline.)

LOGOS #157295 11/12



U.S. Department
of Transportation

Research and
Special Programs
Administration

The US Department of Transportation
Competent Authority for the United States

400 Seventh Street, S.W.
Washington, D.C. 20590

CLASSIFICATION OF EXPLOSIVES

Based upon a request by A.L. Freeman on behalf of Walter Kidde Aerospace, Inc., 4200 Airport Drive N.W., Wilson, North Carolina, the following items are classed in accordance with Section 173.56, Title 49, Code of Federal Regulations (49 CFR).

U.N. PROPER SHIPPING NAME AND NUMBER: Cartridges, power device, UN0276

U.N. CLASSIFICATION CODE: 1.4C


REFERENCE NUMBER

PRODUCT DESIGNATION/PART NUMBER

EX-9702028

P/N 446582-1, P/N 446582-2, P/N 446582-3

Approved by:



Alan I. Roberts

Associate Administrator
for Hazardous Materials Safety

FEB 26 1997

(DATE)

2. HAZARD IDENTIFICATION

Response

In case of fire Evacuate area.

Explosion risk in case of fire

Do NOT fight fire when fire reaches explosives.

Fight fire with normal precautions from a reasonable distance

Storage

Store in accordance with local regulations

Disposal

Dispose of contents/container in accordance with local regulation.

Other Hazards

None identified.

3. COMPOSITION/INFORMATION ON INGREDIENTS

This product is a mixture contained in a sealed device.

Component	CAS Number	Concentration
Lead Azide	13424-46-9	65 - 75%
Hexanitrostilbene	20062-22-0	10 - 20%
Zirconium	7440-67-7	5 - 15%
Potassium Perchlorate	7778-74-7	1 - 10%
Fluoropolymer binder	9011-17-0	0.1 - 1.0%
Graphite	7782-42-5	0.1 - 1.0%

Note: Material content is less than 0.72 grams per unit in a hermetically sealed capsule.

4. FIRST-AID MEASURES

Description of necessary first-aid measures**Eyes**

No specific treatment is required as exposure is unlikely under normal conditions of use

Skin

No specific treatment is required as exposure is unlikely under normal conditions of use

Ingestion

No specific treatment is required as exposure is unlikely under normal conditions of use

Inhalation

No specific treatment is required as exposure is unlikely under normal conditions of use.

Most important symptoms/effects, acute and delayed

Aside from the information found under Description of necessary first aid measures (above) and Indication of immediate medical attention and special treatment needed, no additional symptoms and effects are anticipated

Indication of immediate medical attention and special treatment needed**Notes to Physicians**

Treat symptomatically.



8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Graphite

ACGIH TLV 2 mg/m³ 8h TWA

OSHA PEL 15 mg/m³ 8h TWA, total dust
5 mg/m³ TWA, respirable fraction

Appropriate engineering controls

Work with device in a shielded area. Static grounding is recommended when handling unshunted devices.

Individual protection measures

Respiratory Protection

Not normally required.

Skin Protection

Cotton gloves.

Eye/Face Protection

Chemical goggles or safety glasses with side shields

Body Protection

Cotton clothing and conductive-soled shoes.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical State	Solid
Color	N/A
Odor	None
Odor Threshold	Not applicable
pH	Not applicable
Specific Gravity	Not applicable
Boiling Range/Point (°C/F)	Not applicable
Melting Point (°C/F)	Not applicable
Flash Point (PMCC) (°C/F)	Not applicable
Vapor Pressure	Not applicable
Evaporation Rate (BuAc=1)	Not applicable
Solubility in Water	Not applicable
Vapor Density (Air = 1)	Not applicable
VOC (g/l)	Not applicable
VOC (%)	Not applicable
Partition coefficient (n-octanol/water)	Not applicable
Viscosity	Not applicable
Auto-ignition Temperature	480°F
Decomposition Temperature	No data available
Upper explosive limit	Not applicable
Lower explosive limit	Not applicable
Flammability (solid, gas)	No data available

10. STABILITY AND REACTIVITY

Reactivity

No data available



12. ECOLOGICAL INFORMATION

Ecotoxicity

Devices are sealed and present no ecological hazard to the environment

Mobility in soil

No relevant studies identified

Persistence/Degradability

No relevant studies identified

Bioaccumulative Potential

No relevant studies identified

Other adverse effects

No relevant studies identified

13. DISPOSAL CONSIDERATIONS

Disposal Methods

This material should be disposed of by a competent body familiar with explosive materials in accordance with all applicable local and national regulations. Ensure packaging is free of explosive material prior to disposal.

14. TRANSPORT INFORMATION

DOT CFR 172.101 Data	Cartridges, Power Device, (1.4S) UN0323, PGII
UN Proper Shipping Name	Cartridges, Power Device
UN Class	(1.4S)
UN Number	UN0323
UN Packaging Group	II
Classification for AIR Transportation (IATA)	Consult current IATA Regulations prior to shipping by air

OR:

DOT CFR 172.101 Data	Cartridges, Power Device, (1.4C) UN0276, PGII
UN Proper Shipping Name	Cartridges, Power Device
UN Class	(1.4C)
UN Number	UN0276
UN Packaging Group	II
Classification for AIR Transportation (IATA)	Consult current IATA Regulations prior to shipping by air.

Additional Information: This material may be shipped under DOT Competent Authority permission issued to either Kidde Aerospace or the U. S. Department of Defense. See Kidde Aerospace website for full information on Kidde packaging procedures

15. REGULATORY INFORMATION

United States TSCA Inventory

All components of this product are in compliance with the inventory listing requirements of the US Toxic Substance Control Act (TSCA) Chemical Substance Inventory

COMMERCIAL INVOICE

Kidde Technologies Inc.

Fire Protection
4200 Airport Drive, NW
Wilson, NC 27896-8630

11337300

Shipment/Commercial Invoice #

14-MAR-2024



UTC Aerospace Systems

Ship To 70188 ISRAEL AIRCRAFT LTD BEN GURION INTL ARPRT ACCTS PAYABLE DEPT 4003 70100 LOD ISRAEL		Sold To 70188 ISRAEL AIRCRAFT LTD BEN GURION INTL ARPRT ACCTS PAYABLE DEPT 4003 70100 LOD ISRAEL		Freight Forwarder AB4472 DHL GLOBAL FORWARDING JFK INTL ARPT BLDG 89 JAMAICA NY 11430-1606	
Waybill # 1z2032150350387932		Intermediate Consignee		Ultimate Consignee/End User 3836 ISRAEL AEROSPACE INDUSTRIES LTD (IAI) BEN GURION INTERNATIONAL AIRPORT 70100 TEL AVIV ISRAEL	
Incoterms EXW Factory					
Carrier UPSGRD	Payment Terms Net 60 Days	Package Qty 1	Export Reg.No. FPPI U S FF required to file EEI		

Package ID #: 1024940225			Dimensions: 13x13x13 IN			Gross Weight: 5.000 LB		
Line 10	Material 446582-2 Customer Material 446582-2 Description CARTRIDGE,POWER DEVICE/1AMP/1W	Export Control #: 1C992 d License: NLR H.S. Code: 8424900500 <small>These items are controlled by the U.S. government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. government or as otherwise authorized by U.S. law and regulations.</small>	Qty 6	UoM EA	Unit Value [REDACTED]	Ext Value [REDACTED]	CoO US	Delivery #: 406540160 Customer PO/Item #: L000237373/38 5 Sales Order/Item #: 120130804/830 Serial # AGR2641, AGR2642, AGR2636, AGR2643, AGR2640, AGR2637

Hazardous Materials Warning: Before you work with any component, assembly or product referred to in this document, read, understand and obey all safety instructions and take all appropriate safety precautions. These instructions include instructions from the manufacturer, the material safety data sheet (MSDS), the component maintenance manual, service information letters, all operators letters, and government regulations. An MSDS gives instructions on how you must safely use, keep and discard chemicals. Chemicals may cause injuries to you or make you sick. Personal injury or disease may result if safety instructions are not obeyed.		 L000237373		 1Z20321503503 87932		TOTAL Value USD [REDACTED]	
						values are for customs uses only.	
						Signature: e Larry Bryant	